



HRVATSKA 2021.

EXTREME CROSS 10



EXTREME CROSS 9



EXTREME CROSS 10



SPECS

Rahmen / Frame	Alloy 6061, Downhill, 200mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	FOX Float 40 Factory, Grip 2, 203mm, Tapered
Dämpfer / Shock	FOX DHX2 Factory, 225x75mm, Trunnion
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-EM800, LED-Display, ANT+ & Bluetooth
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 9°, Rise: 20mm
Vorbau / Stem	Husqvarna 31.8, 52mm, 15°
Bremsen / Brake	Magura MT5 eSTOP, hydr. Disc, 4-piston
Bremsscheiben / Rotor	Magura MDR-P, 203mm, 6-bolt, Magura MDR-P, 203mm, 6-bolt, with magnet
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Kind Shock E20i 31.6, Dropper Post, S: 365mm; M/L: 410mm; XL: 480mm
Schaltwerk / Rear Derailleur	Shimano Saint, RD-M820, Shadow Plus, 10-speed
Schalthebel / Shifter	Shimano Saint, SL-M820, Rapidfire Plus, 10-speed
Kassette / Cassette	Shimano CS-HG50, 11-36T, 10-speed
Kette / Chain	KMC e10S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 160mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, 34T
Laufbandsatz / Wheelset	DT Swiss FR 1950 CLASSIC, Tubeless, 6-bolt, 20x110/12x148mm
Reifen / Tire	Schwalbe Magic Mary, Super Gravity, Tubeless, 60-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

EXTREME CROSS 10

Artikelnummer/ Item

4000003342	S	Blue / Lightgrey / Yellow Matt
4000003344	M	Blue / Lightgrey / Yellow Matt
4000003346	L	Blue / Lightgrey / Yellow Matt

63.100,00 Kn

EXTREME CROSS 9



SPECS

Rahmen / Frame	Alloy 6061, Downhill, 200mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour Rux38 Boost RC2-PCS, Air, 200mm, Tapered
Dämpfer / Shock	SR Suntour Triair 3CR, 225x75mm, Trunnion
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E7000, LED-Display, ANT+ & Bluetooth
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 9°, Rise: 20mm
Vorbau / Stem	Husqvarna 31.8, 52mm, 15°
Bremsen / Brake	Magura MT5 eSTOP, hydr. Disc, 4-piston
Bremsscheiben / Rotor	Magura MDR-P, 220mm, 6-bolt, Magura MDR-P, 203mm, 6-bolt, with magnet
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, M/L: 410mm; XL: 480mm
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M5100, Shadow Plus, 11-speed
Schalthebel / Shifter	Shimano Deore, SL-M5100, Rapidfire Plus, 11-speed
Kassette / Cassette	Shimano CS-M7000, 11-46T, 11-speed
Kette / Chain	KMC e11S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 160mm
Kettenblatt / Chainring	Sram Eagle, Alloy, X-Sync, 34T
Laufrad / Wheel	Rim: Ryde Disc 35, Eyelets, Tubeless / Front: Husqvarna DH820F, 6-bolt, 20x110mm / Rear: Husqvarna DA210R, 6-bolt, 12x148mm
Reifen / Tire	Schwalbe Magic Mary, Super Gravity, Tubeless, 60-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

EXTREME CROSS 9

Artikelnummer/ Item

4000003242	S	Anthracite / Grey / Red Matt
4000003244	M	Anthracite / Grey / Red Matt
4000003246	L	Anthracite / Grey / Red Matt

45.500,00 Kn

HARD CROSS 9



HARD CROSS 8



HARD CROSS 7



HARD CROSS 6



HARD CROSS 9



SPECS

Rahmen / Frame	Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	FOX Float 38 Factory, Grip 2, 180mm, Tapered
Dämpfer / Shock	Fox Float X2 Factory, 225x67.5mm
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-EM800, LED-Display, ANT+ & Bluetooth
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 8°, Rise: 18mm
Vorbau / Stem	Husqvarna 35, 40mm, 7°
Bremsen / Brake	Shimano Deore XT, BR-M8120, hydr. Disc, 4-piston
Bremsscheiben / Rotor	Shimano RT-MT800, 203mm, Centerlock, Shimano RT-EM810, 203mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Kind Shock E20i 31.6, Dropper Post, S: 365mm; M/L: 410mm; XL: 480mm
Schaltwerk / Rear Derailleur	Shimano Deore XT Di2, RD-M8050, 11-speed
Schalthebel / Shifter	Shimano Deore XT, SW-M8050, Di2, 11-speed, -
Kassette / Cassette	Shimano CS-M8000, 11-46T, 11-speed
Kette / Chain	KMC e11S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 160mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, 34T
Laufbandsatz / Wheelset	DT Swiss H 1700 SPLINE 35, Tubeless, Centerlock, 15x110/12x148mm
Reifen / Tire	Maxxis Minion DHF, Exo+ Protection, Tubeless, 65-584, 27.5x2.60, Maxxis Minion DHR II, Exo+ Protection, Tubeless, 65-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

HARD CROSS 9

Artikelnummer/ Item

4000003142	S	Anthracite / Black / Bronze Matt
4000003144	M	Anthracite / Black / Bronze Matt
4000003146	L	Anthracite / Black / Bronze Matt
4000003148	XL	Anthracite / Black / Bronze Matt

59.900,00 Kn

HARD CROSS 8



SPECS

Rahmen / Frame	Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	FOX Float 38 Performance, Grip, 180mm, Tapered
Dämpfer / Shock	Fox Float X2 Performance, 225x67.5mm
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E7000, LED-Display, ANT+ & Bluetooth
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 8°, Rise: 18mm
Vorbau / Stem	Husqvarna 35, 40mm, 7°
Bremsen / Brake	Shimano BR-MT520, hydr. Disc, 4-piston
Bremsscheiben / Rotor	Shimano RT-MT800, 203mm, Centerlock, Shimano RT-EM810, 203mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, S: 365mm; M/L: 410; XL: 480mm
Schaltwerk / Rear Derailleur	Shimano Deore XT, RD-M8100, Shadow Plus, 12-speed
Schalthebel / Shifter	Shimano Deore, SL-M6100, Rapidfire Plus, 12-speed
Kassette / Cassette	Shimano CS-M6100, 10-51T, 12-speed
Kette / Chain	KMC e12S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 160mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, 34T
Laufbandsatz / Wheelset	DT Swiss H 1900 SPLINE 35, Tubeless, Centerlock, 15x110/12x148mm
Reifen / Tire	Maxxis Minion DHF, Exo+ Protection, Tubeless, 65-584, 27.5x2.60, Maxxis Minion DHR II, Exo+ Protection, Tubeless, 65-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

HARD CROSS 8

Artikelnummer/ Item		
4000003042	S	White / Blue / Yellow
4000003044	M	White / Blue / Yellow
4000003046	L	White / Blue / Yellow
4000003048	XL	White / Blue / Yellow

51.900,00 Kn

HARD CROSS 7



SPECS

Rahmen / Frame	Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	Rock Shox ZEB Select, Charger RC, 180mm, Tapered
Dämpfer / Shock	Rock Shox Super Deluxe Select+, 225x67.5mm, Trunnion
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E5000, LCD-Display, incl. Shifter
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 8°, Rise: 18mm
Vorbau / Stem	Husqvarna 35, 40mm, 7°
Bremsen / Brake	Tektro Orion, HD-M745, hydr. Disc, 4-piston
Bremsscheiben / Rotor	Tektro TR24, 203mm, 6-bolt, Tektro TR24, 203mm, 6-bolt, with magnet
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, S: 365mm; M/L: 410; XL: 480mm
Schaltwerk / Rear Derailleur	Sram SX Eagle, 12-speed
Kassette / Cassette	Sram PG-1230, 11-50T, 12-speed
Kette / Chain	Sram SX Eagle
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 160mm
Kettenblatt / Chainring	Sram Eagle, Alloy, X-Sync, 34T
Lauftrad / Wheel	Rim: Ryde Disc 35, Eyelets, Tubeless / Front: Husqvarna DA210F, 6-bolt, 15x110mm / Rear: Husqvarna DA210R, 6-bolt, 12x148mm
Reifen / Tire	Schwalbe Magic Mary, Evo, Tubeless, 65-584, 27.5x2.60, Schwalbe Hans Dampf, Evo, Tubeless, 65-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

HARD CROSS 7

Artikelnummer/ Item

4000002942	S	Lightgrey / Anthracite / Red Matt
4000002944	M	Lightgrey / Anthracite / Red Matt
4000002946	L	Lightgrey / Anthracite / Red Matt
4000002948	XL	Lightgrey / Anthracite / Red Matt

43.900,00 Kn

HARD CROSS 6



SPECS

Rahmen / Frame	Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour DuroLux36 Boost RC-PCS, Air, 180mm, Tapered
Dämpfer / Shock	SR Suntour Triair 3CR, 225x70mm, Trunnion
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E5000, LCD-Display, incl. Shifter
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 8°, Rise: 18mm
Vorbau / Stem	Husqvarna 35, 40mm, 7°
Bremsen / Brake	Tektro Orion, HD-M745, hydr. Disc, 4-piston
Bremsscheiben / Rotor	Tektro TR24, 203mm, 6-bolt, Tektro TR24, 203mm, 6-bolt, with magnet
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, S: 365mm; M/L: 410; XL: 480mm
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M4120, Shadow, 10-speed
Schalthebel / Shifter	Shimano Deore, SL-M4100, Rapidfire Plus, 10-speed
Kassette / Cassette	Shimano CS-M4100, 11-42T, 10-speed
Kette / Chain	KMC e10S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 160mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, 34T
Lauftrad / Wheel	Rim: Ryde Disc 35, Eyelets, Tubeless / Front: Husqvarna DA210F, 6-bolt, 15x110mm / Rear: Husqvarna DA210R, 6-bolt, 12x148mm
Reifen / Tire	Schwalbe Magic Mary, Evo, Tubeless, 65-584, 27.5x2.60, Schwalbe Hans Dampf, Evo, Tubeless, 65-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

HARD CROSS 6

Artikelnummer/ Item		
4000002842	S	Yellow / Anthracite / Blue
4000002844	M	Yellow / Anthracite / Blue
4000002846	L	Yellow / Anthracite / Blue
4000002848	XL	Yellow / Anthracite / Blue

38.300,00 Kn

MOUNTAIN CROSS 7



MOUNTAIN CROSS 6



MOUNTAIN CROSS 5



MOUNTAIN CROSS 4



MOUNTAIN CROSS 7



SPECS

Rahmen / Frame
Federgabel / Fork
Dämpfer / Shock
Motor / Drive Unit
Display / Display
Batterie / Battery
Ladegerät / Charger
Lenker / Handlebar
Vorbau / Stem
Bremsen / Brake
Bremsscheiben / Rotor
Sattel / Saddle
Sattelstütze / Seatpost
Schaltwerk / Rear Derailleur
Schalthebel / Shifter
Kassette / Cassette
Kette / Chain
Kurbeln / Crankarms
Kettenblatt / Chainring
Laufradsatz / Wheelset
Reifen / Tire
Pedal / Pedal
**Zul. Gesamtgewicht /
max. Weight**
Gewicht / Weight

29/27.5, Alloy 6061, All Mountain, 150mm,
Full Active 4-Link, Integrated Battery, 12x148mm
FOX Float 36 Factory E-bike+, Grip 2, 150mm, Tapered
FOX Float DPS Factory, 205x60mm, Trunnion
Shimano EP8, DU-EP8, 250W, 85Nm
Shimano SC-EM800, LED-Display, ANT+ & Bluetooth
Simplo TPS, 630Wh, 36V, 17,5Ah
Simplo, Fast Charger, 4A
Husqvarna MTB35, 780mm, Sweep: 9°, Rise: 20mm
Husqvarna 35, 40mm, 0°
Shimano Deore XT, BR-M8120, hydr. Disc, 4-piston
Shimano RT-MT800, 203mm, Centerlock,
Shimano RT-EM810, 203mm, Centerlock, with magnet
Husqvarna MTB
Husqvarna 31.6, Dropper Post, M/L: 410mm; XL: 480mm
Shimano Deore XT, RD-M8100, Shadow Plus, 12-speed
Shimano Deore, SL-M6100, Rapidfire Plus, 12-speed
Shimano CS-M6100, 10-51T, 12-speed
KMC e12S
Husqvarna, Forged Alloy, 160mm
Husqvarna, Alloy, Narrow Wide, 34T
DT Swiss H1900 Spline 30, Tubeless, Centerlock,
15x110/12x148mm
Maxxis Rekon, Exo+ ProTction, Tubeless, 62-622,
29x2.40,
Maxxis Rekon, Exo+ ProTction, Tubeless, 65-584,
27.5x2.60
Husqvarna, Alloy
130 kg
- kg

ARTIKEL

MOUNTAIN CROSS 7

Artikelnummer/ Item

4000002440	S	Black Matt / Black / Bronze
4000002444	M	Black Matt / Black / Bronze
4000002448	L	Black Matt / Black / Bronze
4000002452	XL	Black Matt / Black / Bronze

54.300,00 Kn

MOUNTAIN CROSS 6



SPECS

Rahmen / Frame	29/27.5, Alloy 6061, All Mountain, 150mm, Full Active 4-Link, Integrated Battery, 12x148mm
Federgabel / Fork	FOX Float 36 Rhythm, Grip, 150mm, Tapered
Dämpfer / Shock	FOX Float DPS Performance, 205x60mm
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E7000, LED-Display, ANT+ & Bluetooth
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 9°, Rise: 20mm
Vorbau / Stem	Husqvarna 35, 40mm, 0°
Bremsen / Brake	Sram G2 RSC, hydr. Disc, 4-piston
Bremsscheiben / Rotor	Sram Centerline, 180mm, 6-bolt
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, M/L: 410mm; XL: 480mm
Schaltwerk / Rear Derailleur	Sram SX Eagle, 12-speed
Kassette / Cassette	Sram PG-1230, 11-50T, 12-speed
Kette / Chain	Sram SX Eagle
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 165mm
Lauf rad / Wheel	Rim: Ryde Disc 35, Eyelets, Tubeless / Front: Husqvarna DA210F, 6-bolt, 15x110mm / Rear: Husqvarna DA210R, 6-bolt, 12x148mm
Reifen / Tire	Maxxis Rekon, Exo+ ProTecton, Tubeless, 62-622, 29x2.40, Maxxis Rekon, Exo+ ProTecton, Tubeless, 65-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

MOUNTAIN CROSS 6

Artikelnummer/ Item

4000002340	S	Anthracite / Black / Red Matt
4000002344	M	Anthracite / Black / Red Matt
4000002348	L	Anthracite / Black / Red Matt
4000002352	XL	Anthracite / Black / Red Matt

45.500,00 Kn

MOUNTAIN CROSS 5



SPECS

Rahmen / Frame

29/27.5, Alloy 6061, All Mountain, 150mm, Full Active 4-Link, Integrated Battery, 12x148mm

Federgabel / Fork

Rock Shox 35 Gold RL, DebonAir, 150mm, Tapered

Dämpfer / Shock

Rock Shox Deluxe Select+, 205x60mm, Trunnion

Motor / Drive Unit

Shimano EP8, DU-EP8, 250W, 85Nm

Display / Display

Shimano SC-E5000, LCD-Display, incl. Shifter

Batterie / Battery

Simplo TPS, 630Wh, 36V, 17,5Ah

Ladegerät / Charger

Simplo, Fast Charger, 4A

Lenker / Handlebar

Husqvarna MTB35, 780mm, Sweep: 9°, Rise: 20mm

Vorbau / Stem

Husqvarna 35, 40mm, 0°

Bremsen / Brake

Shimano BR-MT420, hydr. Disc, 4-piston

Bremsscheiben / Rotor

Shimano SM-RT66, 203mm, 6-bolt,
Shimano SM-RT66, 180mm, 6-bolt

Sattel / Saddle

Husqvarna MTB

Sattelstütze / Seatpost

Husqvarna 31.6, Dropper Post, M/L: 410mm; XL: 480mm

Schaltwerk / Rear Derailleur

Shimano Deore, RD-M5100, Shadow Plus, 11-speed

Schalthebel / Shifter

Shimano Deore, SL-M5100, Rapidfire Plus, 11-speed

Kassette / Cassette

Shimano CS-M5100, 11-51T, 11-speed

Kette / Chain

KMC e11S

Kurbeln / Crankarms

Husqvarna, Forged Alloy, 165mm

Kettenblatt / Chainring

Husqvarna, Alloy, Narrow Wide, 34T

Lauftrad / Wheel

Rim: Ryde Disc 35, Eyelets, Tubeless / Front: Husqvarna DA210F, 6-bolt, 15x110mm / Rear: Husqvarna DA210R, 6-bolt, 12x148mm

Reifen / Tire

Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60,
Schwalbe Nobby Nic, Performance, Tubeless, 65-584, 27.5x2.60

Pedal / Pedal

Husqvarna, Alloy

Zul. Gesamtgewicht / max. Weight

130 kg

Gewicht / Weight

- kg

ARTIKEL

MOUNTAIN CROSS 5

Artikelnummer/ Item

4000002240	S	Blue / White / Yellow
4000002244	M	Blue / White / Yellow
4000002248	L	Blue / White / Yellow
4000002252	XL	Blue / White / Yellow

39.100,00 Kn

MOUNTAIN CROSS 4



SPECS

Rahmen / Frame	29/27.5, Alloy 6061, All Mountain, 150mm, Full Active 4-Link, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour Zeron35 Boost LOR, Air, 150mm, Tapered
Dämpfer / Shock	SR Suntour Edge LOR8, 205x60mm, Trunnion
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E5000, LCD-Display, incl. Shifter
Batterie / Battery	Simplo TPS, 500Wh, 36V, 14Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB35, 780mm, Sweep: 9°, Rise: 20mm
Vorbau / Stem	Husqvarna 35, 40mm, 0°
Bremsen / Brake	Tektro Orion, HD-M735, hydr. Disc, 4-piston, Tektro Orion, HD-M735, hydr. Disc
Bremsscheiben / Rotor	Tektro TR24, 203mm, 6-bolt, Tektro TR24, 180mm, 6-bolt
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, M/L: 410mm; XL: 480mm
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M4120, Shadow, 10-speed
Schalthebel / Shifter	Shimano Deore, SL-M4100, Rapidfire Plus, 10-speed
Kassette / Cassette	Shimano CS-M4100, 11-42T, 10-speed
Kette / Chain	KMC e10S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 165mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, 34T
Lauftrad / Wheel	Rim: Ryde Disc 35, Eyelets, Tubeless / Front: Husqvarna DA210F, 6-bolt, 15x110mm / Rear: Husqvarna DA210R, 6-bolt, 12x148mm
Reifen / Tire	Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60, Schwalbe Nobby Nic, Performance, Tubeless, 65-584, 27.5x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

MOUNTAIN CROSS 4

Artikelnummer/ Item

4000002140	S	Bronze / White / Red
4000002144	M	Bronze / White / Red
4000002148	L	Bronze / White / Red
4000002152	XL	Bronze / White / Red

35.100,00 Kn

LIGHT CROSS 6 29

SHIMANO
STEPS
E8000-Serie



LIGHT CROSS 3 29

SHIMANO
STEPS
E8000-Serie



LIGHT CROSS 3 27,5 & 29

SHIMANO
STEPS
E7000-Serie



LIGHT CROSS JR 27,5

SHIMANO
STEPS
E7000-Serie



LIGHT CROSS JR 24

SHIMANO
STEPS
E7000-Serie



LIGHT CROSS 6



630 Wh

**Rahmen / Frame**

Alloy 6061, Hardtail, Skeleton Interface, Integrated Battery, 12x148mm

Federgabel / Fork

SR Suntour XCR32 LOR, Air, 120mm, Tapered

Motor / Drive Unit

Shimano STePS, DU-E8000, 250W, 70Nm

Display / Display

Shimano SC-E5000, LCD-Display, incl. Shifter

Batterie / Battery

Simplo TPS, 630Wh, 36V, 17,5Ah

Ladegerät / Charger

Simplo, Fast Charger, 4A

Lenker / Handlebar

Husqvarna MTB31.8, 720mm, Sweep: 9°, Rise: 22mm

Vorbau / Stem

Husqvarna 31.8, 50mm, 7°

Bremsen / Brake

Magura MT2, hydr. Disc

Bremsscheiben / RotorMagura MDR-C, 180mm, 6-bolt,
Magura MDR-C, 180mm, 6-bolt, with magnet**Sattel / Saddle**

Husqvarna MTB

Sattelstütze / Seatpost

Husqvarna 31.6, Patent

Schaltwerk / Rear Derailleur

Sram SX Eagle, 12-speed

Schalthebel / Shifter

Sram SX Eagle, Single Click, 12-speed

Kassette / Cassette

Sram PG-1210, 11-50T, 12-speed

Kette / Chain

Sram SX Eagle

Kurbeln / Crankarms

Husqvarna, Forged Alloy, 165mm

Kettenblatt / Chainring

Sram Eagle, Alloy, X-Sync, 34T

Lauf rad / Wheel

Rim: Ryde Disc30, Eyelets, Tubeless / Front: Husqvarna DA210F, 6-bolt, 15x110mm / Rear: Husqvarna DA210R, 6-bolt, 12x148mm

Reifen / Tire

Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60

Pedal / Pedal

Husqvarna, Alloy

Zul. Gesamtgewicht / max. Weight

130 kg

Gewicht / Weight

- kg

LIGHT CROSS 6

Artikelnummer/ Item

4000002045	S	Anthracite / Black / Red Matt
4000002050	M	Anthracite / Black / Red Matt
4000002055	L	Anthracite / Black / Red Matt

31.100,00 Kn

LIGHT CROSS 3



SPECS

Rahmen / Frame	Alloy 6061, Hardtail, Skeleton Interface, Semi Integrated Battery, 10x141mm
Federgabel / Fork	SR Suntour XCM32 LO, Coil, 120mm
Motor / Drive Unit	Shimano STePS, DU-E7000, 250W, 60Nm
Display / Display	Shimano SC-E5000, LCD-Display, incl. Shifter
Batterie / Battery	Shimano BT-E8016, 630Wh, 36V, 17.5Ah
Ladegerät / Charger	Shimano EC-E6000-1, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB31.8, 720mm, Sweep: 9°, Rise: 22mm
Vorbau / Stem	Husqvarna 31.8, 50mm, 7°
Bremsen / Brake	Shimano BR-MT201, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 180mm, Centerlock, Shimano RT-EM300, 180mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna MTB
Sattelstütze / Seatpost	Husqvarna 31.6, Patent
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M4120, Shadow, 10-speed
Schalthebel / Shifter	Shimano Deore, SL-M4100, Rapidfire Plus, 10-speed
Kassette / Cassette	Shimano CS-M4100, 11-42T, 10-speed
Kette / Chain	KMC e10S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 165mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, 34T
Lauftrad / Wheel	Rim: Ryde Disc30, Eyelets, Tubeless / Front: Shimano Altus, MT400BX, Centerlock, 15x100mm / Rear: Shimano MT200, Centerlock, 10x141mm
Reifen / Tire	Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60
Pedal / Pedal	Husqvarna, Alloy
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

LIGHT CROSS 3 29

Artikelnummer/ Item

4000001945	S	Darkblue / Red Matt
4000001950	M	Darkblue / Red Matt
4000001955	L	Darkblue / Red Matt

LIGHT CROSS 3 27.5

Artikelnummer/ Item

4000001840	S	Darkblue / Red Matt
4000001845	M	Darkblue / Red Matt
4000001850	L	Darkblue / Red Matt

25.500,00 Kn

LIGHT CROSS JR 27.5



418 Wh



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Deraillieur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauftrad / Wheel****Reifen / Tire****Pedal / Pedal****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

27.5" Alloy 6061, Kids Hardtail, Compact Interface, Semi Integrated Battery, OLD 135mm, IS Mount
 SR SUNTOUR XCM, Coil, 120mm
 SHIMANO STePS DU-E5000, 40Nm
 SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function
 SHIMANO BT-E8014, Semi-Internal Battery, 418Wh, (36V/11,6Ah)
 SHIMANO EC-E6000-1, Fast Charger, 4A
 HUSQVARNA, Width: 710mm, Bar Bore: 31,8mm
 HUSQVARNA, Alloy, Length, 60mm
 TEKTRON, HD-M275 Hydraulic Disc Brake
 180 / 160
 HUSQVARNA JR Ergo
 HUSQVARNA, Alloy, (S/M: 350mm, L/XL: 450mm), 31.6mm
 SHIMANO ALTUS, RD-M2000, GS, 9-Speed
 SHIMANO ALTUS, SL-M2000, Rapidfire Plus, 9-Speed
 SHIMANO CS-HG200, 11-36T
 KMC X9
 HUSQVARNA, Forged Alloy, 165mm
 HUSQVARNA, Steel, 34T, with Alloy Chainguard
 Rim: ALEX RIMS, MD 19, 27.5", 32 holes /
 Hub: HSQ Performance JR, 6H, 32H
 Rim: ALEX RIMS, MD 19, 27.5", 32 holes / Hub:
 HUSQVARNA JR, OLD135, Quickrelease, Shimano,
 6 Bolt, 32H
 SCHWALBE, SMART SAM, Performance, K-Guard,
 27.5x2,25
 VP COMPONENTS, VP-E506
 130 kg
 21,4 kg

ARTIKEL

LIGHT CROSS JR 27.5**Artikelnummer/ Item**

4000000235 uni Anthracite / Black / Red

19.200,00 Kn

LIGHT CROSS JR 24



418 Wh



SPECS

Rahmen / Frame	24" Alloy 6061, Kids Hardtail, Compact Interface, Semi Integrated Battery, OLD 135mm, IS Mount
Federgabel / Fork	SR SUNTOUR XCT-JR, Coil (Soft), 80mm
Motor / Drive Unit	SHIMANO STePS DU-E5000, 40Nm
Display / Display	SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function
Batterie / Battery	SHIMANO BT-E8014, Semi-Internal Battery, 418Wh, (36V/11,6Ah)
Ladegerät / Charger	SHIMANO EC-E6000-1, Fast Charger, 4A
Lenker / Handlebar	HUSQVARNA, Width: 680mm, Bar Bore: 31,8mm
Vorbau / Stem	HUSQVARNA, Alloy, Length, 60mm
Bremsen / Brake	TEKTRO, HD-M275 Hydraulic Disc Brake
Bremsscheibe/ Rotor	180 / 160
Sattel / Saddle	HUSQVARNA JR Ergo
Sattelstütze / Seatpost	HUSQVARNA, Alloy, (S/M: 350mm, L/XL: 450mm), 31.6mm
Schaltwerk / Rear Derailleur	SHIMANO ALTUS, RD-M2000, GS, 9-Speed
Schalthebel / Shifter	SHIMANO ALTUS, SL-M2000, Rapidfire Plus, 9-Speed
Kassette / Cassette	SHIMANO CS-HG200, 11-36T
Kette / Chain	KMC X9
Kurbeln / Crankarms	HUSQVARNA, Forged Alloy, 155mm
Kettenblatt / Chainring	HUSQVARNA, Steel, 32T, with Alloy Chainguard
	Rim: ALEX RIMS, MD19, 24", 32 holes / Hub: HSQ Performance JR, 6H, 32H
Lauftrad / Wheel	Rim: ALEX RIMS, MD19, 24", 32 holes / Hub: HUSQVARNA JR, OLD135, Quickrelease, Shimano, 6 Bolt, 32H
	SCHWALBE, SMART SAM, Performance, Addix, 24x2,1
Reifen / Tire	
Pedal / Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht / max. Weight	100 kg
Gewicht / Weight	20,2 kg

ARTIKEL

LIGHT CROSS JR 24

Artikelnummer/ Item

4000000233 uni Anthracite / Black / Neon Green

18.400,00 Kn

GRAN GRAVEL 6

SHIMANO
STEPS
E7000-Serie



504 Wh



GRAN GRAVEL 5 URBAN

SHIMANO
STEPS
E7000-Serie



504 Wh



GRAN GRAVEL 6



504 Wh



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Laufradsatz / Wheelset****Reifen / Tire****Pedal / Pedal****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

28" Alloy 6061, Gravel, Skeleton Interface, Semi Integrated Battery, 12x142mm, Flat Mount

HUSQVARNA, Carbon rigid, 12x100mm, Flatmount, Tapered

SHIMANO STePS DU-E7000, 60Nm

SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth

SHIMANO BT-E8010, Semi-Internal Battery, 504Wh, (36V/14Ah)

SHIMANO EC-E6000-1, Fast Charger, 4A

HUSQVARNA, Width: 420mm, Flare Angle: 16°, Reach: 70mm, Bar Bore: 31.8mm

HUSQVARNA, Alloy, 90mm, -8°, 31.8mm

SHIMANO BRX810, 2-Piston, Flatmount (WO lever)

160 / 160

HUSQVARNA GRAV RDE

HUSQVARNA, Alloy, (S/M: 350mm, L/XL: 450mm), 31.6mm

SHIMANO GRX 810 Di2, RD-RX817, GS, 11-Speed, Shadow Plus

SHIMANO GRX Di2, STRX-815, Dual Control & hydr. Disc

SHIMANO SLX. CS-M7000-11, 11-42T

KMC X11e

SHIMANO STePS, FX-E8050, Hollowtech Alloy, 170mm

SHIMANO, Alloy, 47T

DT SWISS, G1800 SPLINE Gravel, 24mm Rim, Tubeless Ready, CenterLock, Shimano, 29"

SCHWALBE G-ONE BITE Performance, Race Guard, 40-622

VP COMPONENTS, VP-E506

130 kg

17,8 kg

ARTIKEL

GRAN GRAVEL 6

Artikelnummer/ Item

5000004351	S	Moss / Black / Orange-Red
5000004354	M	Moss / Black / Orange-Red
5000004357	L	Moss / Black / Orange-Red

38.300,00 Kn

GRAN GRAVEL 5 URBAN



SPECS

Rahmen / Frame

Federgabel / Fork

Motor / Drive Unit

Display / Display

Batterie / Battery

Ladegerät / Charger

Lenker / Handlebar

Vorbau / Stem

Bremsen / Brake

Bremsscheibe/ Rotor

Sattel / Saddle

Sattelstütze / Seatpost

Schaltwerk / Rear Derailleur

Schalthebel / Shifter

Kassette / Cassette

Kette / Chain

Kurbeln / Crankarms

Kettenblatt / Chainring

Lauftrad / Wheel

Reifen / Tire

Pedal / Pedal

Beleuchtung v/h / Lighting f/r

Schutzbleche / Fenders

Zul. Gesamtgewicht / max. Weight

Gewicht / Weight

28" Alloy 6061, Gravel, Skeleton Interface,
Semi Integrated Battery, 12 x 142mm, Flat Mount
HUSQVARNA, Carbon rigid, 12x100mm, Flatmount,
Tapered
SHIMANO STePS DU-E7000, 60Nm
SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth
SHIMANO BT-E8010, Semi-Internal Battery, 504Wh, (36V/14Ah)
SHIMANO EC-E6000-1, Fast Charger, 4A
HUSQVARNA, Flat, Width: 700mm, Back Sweep: 9°,
Bar Bore: 31.8mm
HUSQVARNA, Alloy, 90mm, -8°, 31.8mm
SHIMANO BRX400, 2-Piston, Flatmount
160 / 160
HUSQVARNA GRAV RDE
HUSQVARNA, Alloy, (S/M: 350mm, L/XL: 450mm), 31.6mm
SHIMANO GRX 810, RD-RX812, GS, 11-Speed, Shadow Plus
SHIMANO SL-RS700, Rapidfire Plus, 11-speed
SHIMANO SLX, CS-M7000-11, 11-42T
KMC X11e
HUSQVARNA, Forged Alloy, 170mm
SHIMANO, Alloy, 47T
Rim: HQV Edition RYDE DUTCH19, 32H, 28" /
Hub: HUSQVARNA GRAV, 12x110mm, 6 Bolt, 32H
Rim: HQV Edition RYDE DUTCH19, 32H, 28" /
Hub: HUSQVARNA GRAVm 12x142mm, Shimano, 6-Bolt 32H
SCHWALBE G-ONE ALLROUND, Performance,
Race Guard, 40-622
VP COMPONENTS, VP-E506
SUPERNOVA Mini2, LED Terraflux Linse, 205lm, Full CNC
Alloy Body, 5-21V, StVZO, Handlebar Universal MountLED,
StVZO, Direct Fender Mount
HUSQVARNA AL-45, Alloy, Black Anodized
130 kg
18,6 kg

ARTIKEL

GRAN GRAVEL 5 URBAN

Artikelnummer/ Item

5000004451	S	Athracite / Black / Dark Silver
5000004454	M	Athracite / Black / Dark Silver
5000004457	L	Athracite / Black / Dark Silver

PREIS

33.500,00 Kn

GRAN SPORT 6



GRAN SPORT 5



GRAN SPORT 4



GRAN SPORT 6



504 Wh



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauftrad / Wheel****Reifen / Tire****Pedal / Pedal****Zul. Gesamtgewicht / max. Weight****Gewicht / Weight**

27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, Boost 12x148mm, Post Mount 180 SR SUNTOUR RAIDON32, Air, LOR, 15QLC32, Tapered, 80mm

SHIMANO STePS DU-E8000, 70Nm

SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function

SHIMANO BT-E8035, 504Wh, Internal Battery (36V/14Ah)

SHIMANO EC-E6000-1, 4A & Adapter for intube Battery

HUSQVARNA, Rise, Width: 720mm, Rise: 38mm Rise, Back Sweep: 9° , Bar Bore 31.8mm

HUSQVARNA, Adjust, Alloy, 90mm, -40° - +40° , 31.8mm

SHIMANO BR-MT400, hydr Disc, 2-Piston

180 / 180

HUSQVARNA CT Ergo

HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm

SHIMANO DEORE XT Di2, RD-M8050, GS, 11-Speed, Shadow Plus

SHIMANO DEORE XT Di2, SW-M8050, Firebolt, 11-Speed

SHIMANO SLX. CS-M7000-11, 11-42T

KMC X11e

HUSQVARNA, Forged Alloy, 170mm

HUSQVARNA, Steel, Narrow Wide, 38T

Rim: HQV Edition RYDE RIVAL23, 36H, 27.5" / Hub: HUSQVARNA Pro, 15x100mm, 6-Bolt, 32H

Rim: HQV Edition RYDE RIVAL23, 36H, 27.5" / Hub: HUSQVARNA Pro Boost, 12x148mm, Shimano, 6-Bolt, 32H

SCHWALBE, SMART SAM, Performance, K-Guard, 27.5x2,25

VP COMPONENTS, VP-617

130 kg

21,9 kg

ARTIKEL

GRAN SPORT 6**Artikelnummer/ Item**

5000004246	S	Blue / White / Yellow
5000004250	M	Blue / White / Yellow
5000004254	L	Blue / White / Yellow

33.500,00 Kn

GRAN SPORT 5



SPECS

Rahmen / Frame	27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, Boost 12x148mm, Post Mount 180
Federgabel / Fork	SR SUNTOUR XCR32, Air, LO, 15QLC32, Tapered, 80mm
Motor / Drive Unit	SHIMANO STePS DU-E7000, 60Nm
Display / Display	SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function
Batterie / Battery	SHIMANO BT-E8035, 504Wh, Internal Battery (36V/14Ah)
Ladegerät / Charger	SHIMANO EC-E6000-1, 4A & Adapter for intube Battery
Lenker / Handlebar	HUSQVARNA, Rise, Width: 720mm, Rise: 38mm Rise, Back Sweep: 9°, Bar Bore 31.8mm
Vorbau / Stem	HUSQVARNA, Adjust, Alloy, 90mm, -40° - +40°, 31.8mm
Bremsen / Brake	SHIMANO BR-MT201, hydr. Disc, 2-Piston
Bremsscheibe/ Rotor	180 / 180
Sattel / Saddle	HUSQVARNA CT Ergo
Sattelstütze / Seatpost	HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm
Schaltwerk / Rear Deraillleur	SRAM NX-11, 11-Speed
Schalthebel / Shifter	SRAM NX Trigger, X-Actuation, 11-Speed
Kassette / Cassette	SRAM NX, PG-1130, 11-42T
Kette / Chain	SRAM PC1110
Kurbeln / Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt / Chainring	HUSQVARNA, Steel, Narrow Wide, 38T
Laufrad / Wheel	Rim: HQV Edition RYDE RIVAL23, 36H, 27.5" / Hub: HUSQVARNA Pro, 15x100mm, 6-Bolt, 32H Rim: HQV Edition RYDE RIVAL23, 36H, 27.5" / Hub: HUSQVARNA Pro Boost, 12x148mm, Shimano, 6-Bolt, 32H
Reifen / Tire	SCHWALBE, SMART SAM, Performance, K-Guard, 27.5x2,25
Pedal / Pedal	VP COMPONENTS, VP-617
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	22,5 kg

ARTIKEL

GRAN SPORT 5

Artikelnummer/ Item

5000004146	S	Silver / Anthracite / Bronze
5000004150	M	Silver / Anthracite / Bronze
5000004154	L	Silver / Anthracite / Bronze

30.300,00 Kn

GRAN SPORT 4



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Laufrad / Wheel****Reifen / Tire****Pedal / Pedal****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, Boost 12x148mm, Post Mount 180 SR SUNTOUR XCM32, Coil, LO, 15AH2, Tapered, 80mm SHIMANO STePS DU-E7000, 60Nm SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function SHIMANO BT-E8035, 504Wh, Internal Battery (36V/14Ah) SHIMANO EC-E6000-1, 4A & Adapter for intube Battery HUSQVARNA, Rise, Width: 720mm, Rise: 38mm Rise, Back Sweep: 9° , Bar Bore 31.8mm HUSQVARNA, Adjust, Alloy, 90mm, -40° - +40°, 31.8mm SHIMANO BR-MT201, hydr. Disc, 2-Piston 180 / 180 HUSQVARNA CT Ergo HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm SHIMANO, DEORE, RD-M6000, GS, 10-Speed, Shadow Plus SHIMANO DEORE, SL-M6000, Rapidfire Plus, 10-Speed SHIMANO CS-HG50, 11-36T KMC X10e HUSQVARNA, Forged Alloy, 170mm HUSQVARNA, Steel, Narrow Wide, 38T Rim: HQV Edition RYDE RIVAL23, 36H, 27.5" / Hub: HUSQVARNA Pro, 15x100mm, 6-Bolt, 32H Rim: HQV Edition RYDE RIVAL23, 36H, 27.5" / Hub: HUSQVARNA Pro Boost, 12x148mm, Shimano, 6-Bolt, 32H SCHWALBE, SMART SAM, Performance, K-Guard, 27.5x2,25 VP COMPONENTS, VP-617 130 kg 22,9 kg

ARTIKEL

GS4**Artikelnummer/ Item**

5000004046	S	White / Red
5000004050	M	White / Red
5000004054	L	White / Red

27.900,00 Kn



CROSS TOURER 7 FS



FULLSUSPENSION

CROSS TOURER 6 FS



FULLSUSPENSION

CROSS TOURER 5



CROSS TOURER 4



CROSS TOURER 3



CROSS TOURER 7-FS



SPECS

Rahmen / Frame	Alloy 6061, Trekking, 100mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour Raidon34 LOR, Air, 100mm, Tapered
Dämpfer / Shock	SR Suntour Edge LOR, 185x50mm, Trunnion
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm
Vorbau / Stem	Husqvarna 31.8, 90mm, adjustable
Bremsen / Brake	Shimano BR-MT410, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 180mm, Centerlock, Shimano RT-EM300, 180mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, S: 100mm; M: 125mm; L&XL: 150mm
Schaltwerk / Rear Derailleur	Shimano Deore XT, RD-M8100, Shadow Plus, 12-speed
Schalthebel / Shifter	Shimano Deore, SL-M6100, Rapidfire Plus, 12-speed
Kassette / Cassette	Shimano CS-M6100, 10-51T, 12-speed
Kette / Chain	KMC e12S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, Bashguard, 38T
Lauftrad / Wheel	Rim: Ryde Disc26, Eyelets, Tubeless / Front: Husqvarna DA210F, Centerlock, 15x110mm / Rear: Husqvarna DA210R, Centerlock, 12x142mm
Reifen / Tire	Schwalbe Smart Sam, Reflex, 54-584, 27.5x2.10
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	LiteMOVE HKSE-70, 70 Lux, Supernova M99-TL2
Gepäckträger / Carrier	Husqvarna TourFS, Racktime-System
Schutzbleche / Fenders	Wingee Alloy
Ständer / Kickstand	Husqvarna i18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

CROSS TOURER 7-FS

Artikelnummer/ Item

5000008340	S	Anthracite / Black / Red Matt
5000008344	M	Anthracite / Black / Red Matt
5000008348	L	Anthracite / Black / Red Matt
5000008352	XL	Anthracite / Black / Red Matt

42.300,00 Kn

CROSS TOURER 6-FS



SPECS

Rahmen / Frame	Alloy 6061, Trekking, 100mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour XCR34 LOR, Air, 100mm, Tapered
Dämpfer / Shock	SR Suntour Edge LOR, 185x50mm, Trunnion
Motor / Drive Unit	Shimano STePS, DU-E8000, 250W, 70Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Simplo TPS, 500Wh, 36V, 14Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm
Vorbau / Stem	Husqvarna 31.8, 90mm, adjustable
Bremsen / Brake	Shimano BR-MT201, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 180mm, Centerlock, Shimano RT-EM300, 180mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Dropper Post, S: 100mm; M: 125mm; L&XL: 150mm
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M4120, Shadow, 10-speed
Schalthebel / Shifter	Shimano Deore, SL-M4100, Rapidfire Plus, 10-speed
Kassette / Cassette	Shimano CS-M4100, 11-42T, 10-speed
Kette / Chain	KMC e10S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, Bashguard, 38T
Lauftrad / Wheel	Rim: Ryde Disc26, Eyelets, Tubeless / Front: Husqvarna DA210F, Centerlock, 15x110mm / Rear: Husqvarna DA210R, Centerlock, 12x142mm
Reifen / Tire	Schwalbe Smart Sam, Reflex, 54-584, 27.5x2.10
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	Herrmans MR4, 40 Lux, Supernova M99-TL2
Gepäckträger / Carrier	Husqvarna TourFS, Racktime-System
Schutzbleche / Fenders	Wingee Alloy
Ständer / Kickstand	Husqvarna i18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

CROSS TOURER 6-FS

Artikelnummer/ Item

5000008240	S	White / Black / Red
5000008244	M	White / Black / Red
5000008248	L	White / Black / Red
5000008252	XL	White / Black / Red

37.500,00 Kn

CROSS TOURER 5



630 Wh



GENT



LADY



WAVE

**Rahmen / Frame****Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheiben / Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauftrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

Alloy 6061, Trekking, Skeleton Interface, Integrated Battery, 12x148mm

SR Suntour Mobie A32 NLO, 75mm, Tapered

Shimano EP8, DU-EP8, 250W, 85Nm

Shimano SC-E6100, LCD-Display, ANT & BT-LE

Simplo TPS, 630Wh, 36V, 17,5Ah

Simplo, Fast Charger, 4A

Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm

Husqvarna 31.8, 90mm, adjustable

Shimano BR-MT410, hydr. Disc

Shimano SM-RT30, 203mm, Centerlock,
Shimano RT-EM300, 203mm, Centerlock, with magnet

Husqvarna Vivo Moderate, by Selle Royal

Husqvarna 31.6, Patent, 350mm

Shimano Deore XT, RD-M8100, Shadow Plus, 12-speed

Shimano CS-M6100, 10-51T, 12-speed

KMC e12S

Husqvarna, Forged Alloy, 170mm

Husqvarna, Alloy, Narrow Wide, Bashguard, 38T

Rim: Ryde Disc30, Eyelets, Tubeless / Front: Husqvarna
DA210F, Centerlock, 15x100mm / Rear: Husqvarna
DA210R, Centerlock, 12x142mmSchwalbe Johnny Watts, Performance, Reflex, 60-584,
27.5x2.35

Husqvarna Tour, Alloy

Litemove HKSE-70, 70 Lux, Spanninga Commute
Glow E

Husqvarna Tour Pro, MIK-System

Eurofender Tempo 65

Ursus MOOI KSA40, adjustable

130 kg

- kg

CROSS TOURER 5 GENT**Artikelnummer/ Item**

5000007945	S	White / Blue / Red Matt
5000007950	M	White / Blue / Red Matt
5000007955	L	White / Blue / Red Matt
5000007960	XL	White / Blue / Red Matt

CROSS TOURER 5 LADY**Artikelnummer/ Item**

5000008040	S	White / Blue / Red Matt
5000008045	M	White / Blue / Red Matt
5000008050	L	White / Blue / Red Matt
5000008055	XL	White / Blue / Red Matt

CROSS TOURER 5 WAVE**Artikelnummer/ Item**

5000008145	S	White / Blue / Red Matt
5000008150	M	White / Blue / Red Matt
5000008155	L	White / Blue / Red Matt

**31.900,00 Kn**

CROSS TOURER 4



GENT



LADY



WAVE



SPECS

Rahmen / Frame	Alloy 6061, Trekking, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour Mobie A32 NLO, 75mm, Tapered
Motor / Drive Unit	Shimano STePS, DU-E8000, 250W, 70Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm
Vorbau / Stem	Husqvarna 31.8, 90mm, adjustable
Bremsen / Brake	Shimano BR-MT201, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 180mm, Centerlock, Shimano RT-EM300, 180mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Patent, 350mm
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M4120, Shadow, 11-speed
Schalthebel / Shifter	Shimano Deore, SL-M5100, Rapidfire Plus, 11-speed
Kassette / Cassette	Shimano CS-M5100, 11-42T, 11-speed
Kette / Chain	KMC e11S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, Bashguard, 38T
Lauftrad / Wheel	Rim: Ryde Disc30, Eyelets, Tubeless / Front: Husqvarna DA210F, Centerlock, 15x100mm / Rear: Husqvarna DA210R, Centerlock, 12x142mm
Reifen / Tire	Schwalbe Johnny Watts, Performance, Reflex, 60-584, 27.5x2.35
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	Herrmans MR4, 40 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna Tour, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 65
Ständer / Kickstand	Ursus MOOI KSA40, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

CROSS TOURER 4 GENT

Artikelnummer/ Item

5000007645	S	White / Darkbronze / Red
5000007650	M	White / Darkbronze / Red
5000007655	L	White / Darkbronze / Red
5000007660	XL	White / Darkbronze / Red

CROSS TOURER 4 LADY

Artikelnummer/ Item

5000007740	S	White / Darkbronze / Red
5000007745	M	White / Darkbronze / Red
5000007750	L	White / Darkbronze / Red
5000007755	XL	White / Darkbronze / Red

CROSS TOURER 4 WAVE

Artikelnummer/ Item

5000007845	S	White / Darkbronze / Red
5000007850	M	White / Darkbronze / Red
5000007855	L	White / Darkbronze / Red



28.700,00 Kn

CROSS TOURER 3



GENT



LADY

**Rahmen / Frame****Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheiben / Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauftrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

Alloy 6061, Trekking, Skeleton Interface, Semi
Integrated Battery, 10x141mm

SR Suntour NVX30 LO, 80mm

Shimano STePS, DU-E6100, 250W, 60Nm

Shimano SC-E6100, LCD-Display, ANT & BT-LE

Shimano BT-E8016, 630Wh, 36V, 17.5Ah

Shimano EC-E6000-1, Fast Charger, 4A

Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm

Husqvarna 31.8, 90mm, adjustable

Shimano BR-MT201, hydr. Disc

Shimano SM-RT10, 180mm, Centerlock

Husqvarna Vivo Moderate, by Selle Royal

Husqvarna 31.6, Patent, 350mm

Shimano Deore, RD-M4120, Shadow, 10-speed

Shimano Deore, SL-M4100, Rapidfire Plus, 10-speed

Shimano CS-M4100, 11-42T, 10-speed

KMC e10S

Husqvarna, Alloy, 170mm

Husqvarna, Alloy, Narrow Wide, Bashguard, 38T

Rim: Ryde Disc26, Eyelets, Tubeless / Front: Shimano
Acera, MT200, Centerlock, 9x100mm / Rear: Shimano
MT200, Centerlock, 10x141mm

Schwalbe Smart Sam, Reflex, 54-584, 27.5x2.10

Husqvarna Tour, Alloy

Herrmans MR4, 40 Lux, Axa Blueline E

Husqvarna Tour, MIK-System

Eurofender Tempo 65

Ursus MOOI KSA40, adjustable

130 kg

- kg

CROSS TOURER 3 GENT

Artikelnummer/ Item

5000007445	S	Darkblue / Red Matt
5000007450	M	Darkblue / Red Matt
5000007455	L	Darkblue / Red Matt
5000007460	XL	Darkblue / Red Matt

CROSS TOURER 3 LADY

Artikelnummer/ Item

5000007540	S	Darkblue / Red Matt
5000007545	M	Darkblue / Red Matt
5000007550	L	Darkblue / Red Matt
5000007555	XL	Darkblue / Red Matt

26.300,00 Kn



GRAN TOURER 6



GRAN TOURER 5



GRAN TOURER 4



GRAN TOURER 3



GRAN TOURER 2



GRAN TOURER 6



630 Wh



GENT



LADY



WAVE

SPECS

Rahmen / Frame

Alloy 6061, Trekking, Skeleton Interface, Integrated Battery, 12x148mm

Federgabel / Fork

SR Suntour Mobie25 LOR, Air, 75mm, Tapered

Motor / Drive Unit

Shimano EP8, DU-EP8, 250W, 85Nm

Display / Display

Shimano SC-E6100, LCD-Display, ANT & BT-LE

Batterie / Battery

Simplo TPS, 630Wh, 36V, 17,5Ah

Ladegerät / Charger

Simplo, Fast Charger, 4A

Lenker / Handlebar

Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm

Vorbau / Stem

Husqvarna 31.8, 90mm, adjustable

Bremsen / Brake

Shimano BR-MT410, hydr. Disc

Bremsscheiben / Rotor

Shimano SM-RT30, 203mm, Centerlock, Shimano RT-EM300, 203mm, Centerlock, with magnet

Sattel / Saddle

Husqvarna Vivo Moderate, by Selle Royal

Sattelstütze / Seatpost

Husqvarna 31.6, Patent, 350mm

Schaltwerk / Rear Derailleur

Shimano Deore XT Di2, RD-M8050, 11-speed

Schalthebel / Shifter

Shimano, SW-E7000, Di2

Kassette / Cassette

Shimano CS-M5100, 11-42T, 11-speed

Kette / Chain

KMC e11S

Kurbeln / Crankarms

Husqvarna, Forged Alloy, 170mm

Kettenblatt / Chainring

Husqvarna, Alloy, Narrow Wide, Bashguard, 38T

Lauftrad / Wheel

Rim: Ryde Disc30, Eyelets, Tubeless / Front: Husqvarna DA210F, Centerlock, 15x100mm / Rear: Husqvarna DA210R, Centerlock, 12x142mm

Reifen / Tire

Schwalbe SuperMoto-X, Reflex, 62-584, 27.5x2.4

Pedal / Pedal

Husqvarna Tour, Alloy

Beleuchtung v/h / Lighting f/r

Spanninga Commute Glow E

Gepäckträger / Carrier

Husqvarna Tour Pro, MIK-System

Schutzbleche / Fenders

Eurofender Tempo 65

Ständer / Kickstand

Ursus MOOI KSA40, adjustable

Zul. Gesamtgewicht / max. Weight

130 kg

Gewicht / Weight

- kg

ARTIKEL

GRAN TOURER 6 GENT

Artikelnummer/ Item

5000007145	S	Grey / Black / Red Matt
5000007150	M	Grey / Black / Red Matt
5000007155	L	Grey / Black / Red Matt
5000007160	XL	Grey / Black / Red Matt

GRAN TOURER 6 LADY

Artikelnummer/ Item

5000007240	S	Grey / Black / Red Matt
5000007245	M	Grey / Black / Red Matt
5000007250	L	Grey / Black / Red Matt
5000007255	XL	Grey / Black / Red Matt

GRAN TOURER 6 WAVE

Artikelnummer/ Item

5000007345	S	Grey / Black / Red Matt
5000007350	M	Grey / Black / Red Matt
5000007355	L	Grey / Black / Red Matt

**35.900,00 Kn**

GRAN TOURER 5



GENT



LADY



WAVE



SPECS

Rahmen / Frame	Alloy 6061, Trekking, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour Mobie A32 NLO, 75mm, Tapered
Motor / Drive Unit	Shimano EP8, DU-EP8, 250W, 85Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm
Vorbau / Stem	Husqvarna 31.8, 90mm, adjustable
Bremsen / Brake	Shimano BR-MT410, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 203mm, Centerlock, Shimano RT-EM300, 203mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Patent, 350mm
Schaltwerk / Rear Derailleur	Shimano Deore XT, RD-M8100, Shadow Plus, 12-speed
Schalthebel / Shifter	Shimano Deore, SL-M6100, Rapidfire Plus, 12-speed
Kassette / Cassette	Shimano CS-M6100, 10-51T, 12-speed
Kette / Chain	KMC e12S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, Bashguard, 38T
Laufrad / Wheel	Rim: Ryde Disc30, Eyelets, Tubeless / Front: Husqvarna DA210F, Centerlock, 15x100mm / Rear: Husqvarna DA210R, Centerlock, 12x142mm
Reifen / Tire	Schwalbe SuperMoto-X, Reflex, 62-584, 27.5x2.4
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	Litemove HKSE-70, 70 Lux, Spanninga Commute Glow E
Gepäckträger / Carrier	Husqvarna Tour Pro, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 65
Ständer / Kickstand	Ursus MOOI KSA40, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

GRAN TOURER 5 GENT

Artikelnummer/ Item

5000006845	S	Blue / Blue / Red Matt
5000006850	M	Blue / Blue / Red Matt
5000006855	L	Blue / Blue / Red Matt
5000006860	XL	Blue / Blue / Red Matt

GRAN TOURER 5 LADY

Artikelnummer/ Item

5000006940	S	Blue / Blue / Red Matt
5000006945	M	Blue / Blue / Red Matt
5000006950	L	Blue / Blue / Red Matt
5000006955	XL	Blue / Blue / Red Matt

GRAN TOURER 5 WAVE

Artikelnummer/ Item

5000007045	S	Blue / Blue / Red Matt
5000007050	M	Blue / Blue / Red Matt
5000007055	L	Blue / Blue / Red Matt



31.900,00 Kn

GRAN TOURER 4



630 Wh



GENT



LADY



WAVE

SPECS

Rahmen / Frame	Alloy 6061, Trekking, Skeleton Interface, Integrated Battery, 12x148mm
Federgabel / Fork	SR Suntour Mobie A32 NLO, 75mm, Tapered
Motor / Drive Unit	Shimano STePS, DU-E8000, 250W, 70Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm
Vorbau / Stem	Husqvarna 31.8, 90mm, adjustable
Bremsen / Brake	Shimano BR-MT201, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 180mm, Centerlock, Shimano RT-EM300, 180mm, Centerlock, with magnet
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Patent, 350mm
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M4120, Shadow, 11-speed
Schalthebel / Shifter	Shimano Deore, SL-M5100, Rapidfire Plus, 11-speed
Kassette / Cassette	Shimano CS-M5100, 11-42T, 11-speed
Kette / Chain	KMC e11S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, Bashguard, 38T
Lauftrad / Wheel	Rim: Ryde Disc30, Eyelets, Tubeless / Front: Husqvarna DA210F, Centerlock, 15x100mm / Rear: Husqvarna DA210R, Centerlock, 12x142mm
Reifen / Tire	Schwalbe SuperMoto-X, Reflex, 62-584, 27.5x2.4
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	Herrmans MR4, 40 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna Tour, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 65
Ständer / Kickstand	Ursus MOOI KSA40, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

GRAN TOURER 4 GENT

Artikelnummer/ Item

5000006545	S	Bronze / Darkbronze / Red Matt
5000006550	M	Bronze / Darkbronze / Red Matt
5000006555	L	Bronze / Darkbronze / Red Matt
5000006560	XL	Bronze / Darkbronze / Red Matt

GRAN TOURER 4 LADY

Artikelnummer/ Item

5000006640	S	Bronze / Darkbronze / Red Matt
5000006645	M	Bronze / Darkbronze / Red Matt
5000006650	L	Bronze / Darkbronze / Red Matt
5000006655	XL	Bronze / Darkbronze / Red Matt

GRAN TOURER 4 WAVE

Artikelnummer/ Item

5000006745	S	Bronze / Darkbronze / Red Matt
5000006750	M	Bronze / Darkbronze / Red Matt
5000006755	L	Bronze / Darkbronze / Red Matt



MOUNTING IS KEY

28.700,00 Kn

GRAN TOURER 3



SPECS

Rahmen / Frame	Alloy 6061, Trekking, Skeleton Interface, Semi Integrated Battery, 10x141mm
Federgabel / Fork	SR Suntour NVX30 LO, 80mm
Motor / Drive Unit	Shimano STePS, DU-E6100, 250W, 60Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Shimano BT-E8016, 630Wh, 36V, 17.5Ah
Ladegerät / Charger	Shimano EC-E6000-1, Fast Charger, 4A
Lenker / Handlebar	Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm
Vorbau / Stem	Husqvarna 31.8, 90mm, adjustable
Bremsen / Brake	Shimano BR-MT201, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT10, 180mm, Centerlock
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Patent, 350mm
Schaltwerk / Rear Derailleur	Shimano Deore, RD-M4120, Shadow, 10-speed
Schalthebel / Shifter	Shimano Deore, SL-M4100, Rapidfire Plus, 10-speed
Kassette / Cassette	Shimano CS-M4100, 11-42T, 10-speed
Kette / Chain	KMC e10S
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Alloy, Narrow Wide, Bashguard, 38T
Lauftrad / Wheel	Rim: Ryde Disc26, Eyelets, Tubeless / Front: Shimano Acera, MT200, Centerlock, 9x100mm / Rear: Shimano MT200, Centerlock, 10x141mm
Reifen / Tire	Continental Contact Plus City, Reflex, 55-584, 27.5x2.10
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	Herrmans MR4, 40 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna Tour, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 65
Ständer / Kickstand	Ursus MOOI KSA40, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

GRAN TOURER 3 GENT

Artikelnummer/ Item		
5000006345	S	Black / Red
5000006350	M	Black / Red
5000006355	L	Black / Red
5000006360	XL	Black / Red

GRAN TOURER 3 LADY

Artikelnummer/ Item		
5000006440	S	Black / Red
5000006445	M	Black / Red
5000006450	L	Black / Red
5000006455	XL	Black / Red



26.300,00 Kn

GRAN TOURER 2



GENT



LADY

**Rahmen / Frame****Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheiben / Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Laufgrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

Alloy 6061, Trekking, Skeleton Interface, Semi Integrated Battery, 10x141mm

SR Suntour NVX30 LO, 80mm

Shimano STePS, DU-E6100, 250W, 60Nm

Shimano SC-E5000, LCD-Display, incl. Shifter

Shimano BT-E8010, 504Wh, 36V, 14Ah

Shimano EC-E6000-1, Fast Charger, 4A

Husqvarna MTB31.8, 700mm, Sweep: 9°, Rise: 15mm

Husqvarna 31.8, 90mm, adjustable

Shimano BR-MT201, hydr. Disc

Shimano SM-RT30, 180mm, Centerlock,
Shimano RT-EM300, 180mm, Centerlock, with magnet

Husqvarna Vivo Moderate, by Selle Royal

Husqvarna 31.6, Patent, 350mm

Shimano Deore, RD-M592, Shadow, 9-speed

Shimano Altus, SL-M2010, Rapidfire Plus, 9-speed

Shimano CS-HG200, 11-36T, 9-speed

KMC e9S

Husqvarna, Forged Alloy, 170mm

Husqvarna, Alloy, Narrow Wide, Bashguard, 38T

Rim: Ryde Disc26, Eyelets, Tubeless / Front: Shimano Acera,
MT200, Centerlock, 9x100mm / Rear: Shimano MT200,
Centerlock, 10x141mm

Continental Contact Plus City, Reflex, 55-584, 27.5x2.10

Husqvarna Tour, Alloy

Herrmans MR4, 40 Lux, Axa Blueline E

Husqvarna Tour, MIK-System

Eurofender Tempo 65

Ursus MOOI KSA40, adjustable

130 kg

- kg

GRAN TOURER 2 GENT

Artikelnummer/ Item

5000006145	S	Darkblue / Red Matt
5000006150	M	Darkblue / Red Matt
5000006155	L	Darkblue / Red Matt
5000006160	XL	Darkblue / Red Matt

GRAN TOURER 2 LADY

Artikelnummer/ Item

5000006240	S	Darkblue / Red Matt
5000006245	M	Darkblue / Red Matt
5000006250	L	Darkblue / Red Matt
5000006255	XL	Darkblue / Red Matt

**23.900,00 Kn**



GRAN URBAN 6

SHIMANO
STOPS
E6100-Serie



504 Wh



GRAN URBAN 6 FW

SHIMANO
STOPS
E6100-Serie



504 Wh



GRAN URBAN 5

SHIMANO
STOPS
E6100-Serie



504 Wh



GRAN URBAN 4 CB

SHIMANO
STOPS
E6110-Serie



504 Wh



GRAN URBAN 4

SHIMANO
STOPS
E6100-Serie



504 Wh



GRAN URBAN 6



504 Wh



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Laufrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, Boost 12x148mm, Post Mount 180 SR SUNTOUR MOBIE25, AIR, LOR, DS 15QLC32, Tapered, 75mm

SHIMANO STePS DU-E6100, 60Nm

SHIMANO SC-E6100 LCD Central Display with ANT+ & Bluetooth Function

SHIMANO BT-E8035, 504Wh, Internal Battery (36V / 14Ah)

SHIMANO EC-E6000-1, 4A & Adapter for intube Battery

HUSQVARNA, Low Rise, Width: 700mm, Rise: 18mm, Back Sweep: 6°, Up Sweep: 6°, Bar Bore: 31.8mm

HUSQVARNA, Adjust, Alloy, 80mm, -10° - +60°, 31.8mm

SHIMANO BR-MT400, hydr Disc, 2-Piston

180 / 180

HUSQVARNA GC-Ergo

HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm

SHIMANO DEORE XT Di2, RD-M8050, GS, 11-Speed, Shadow Plus

SHIMANO Shifter Di2, SW-E7000

SHIMANO SLX. CS-M7000-11, 11-42T

KMC X11e

HUSQVARNA, Forged Alloy, 170mm

HUSQVARNA, Steel, Narrow Wide, 38T

Rim: HQV Edition RYDE RIVAL30, 32H / Hub: HQV Pro, 15x100mm, 6-Bolt, 32H

Rim: HQV Edition RYDE RIVAL30, 32H / Hub: HQV Pro Boost, 12x148mm, Shimano, 6-Bolt, 32H

SCHWALBE SUPER MOTO-X Green Guard, 62-584

VP COMPONENTS, VP-617

SUPERNOVA V512S, LED Terraflux Linse, 205lm, Full CNC Alloy Body, 5-21V, StVZO, Suntour Mobie Adapter

HERRMANS H-Cargo E-Bike, 4 Led, 6-12V, StVZO, Carrier integrated Design

HQV, Light integration, Alloy, 25kg Load, CarryMore System

HUSQVARNA AL-65, Alloy, Black Anodized

HUSQVARNA STD, GT Series, Alloy, Height Adjust

130 kg

26,3 kg

ARTIKEL

GRAN URBAN 6

Artikelnummer/ Item

5000003746	S	Blue / White / Yellow
5000003750	M	Blue / White / Yellow
5000003754	L	Blue / White / Yellow

PREIS

35.100,00 Kn

GRAN URBAN 6 FW



Nabe



SPECS

Rahmen / Frame	27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, OLD 135mm, Post Mount 160mm
Federgabel / Fork	SR SUNTOUR MOBIE25, AIR, LOR, DS 15QLC32, Tapered, 75mm
Motor / Drive Unit	SHIMANO STePS DU-E6100, 60Nm
Display / Display	SHIMANO SC-E6100 LCD Central Display with ANT+ & Bluetooth Function
Batterie / Battery	SHIMANO BT-E8035, 504Wh, Internal Battery (36V/14Ah)
Ladegerät / Charger	SHIMANO EC-E6000-1, 4A & Adapter for intube Battery
Lenker / Handlebar	HUSQVARNA, Low Rise, Width: 700mm, Rise: 18mm, Back Sweep: 6°, Up Sweep: 6°, Bar Bore: 31.8mm
Vorbau / Stem	HUSQVARNA, Adjust, Alloy, 80mm, -10° - +60°, 31.8mm
Bremsen / Brake	SHIMANO BR-MT400, hydr Disc, 2-Piston
Bremsscheibe/ Rotor	180 / 160
Sattel / Saddle	HUSQVARNA GC-Ergo
Sattelstütze / Seatpost	HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm
Schalthebel / Shifter	SHIMANO Shifter Di2, SW-E7000
Kassette / Cassette	SHIMANO CS-C700 27T, Nexus 5E
Kette / Chain	KMC 610 HX
Kurbeln / Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt / Chainring	HUSQVARNA, Steel, Narrow Wide, 38T
Lauftrad / Wheel	Rim: HQV Edition RYDE RIVAL30, 32H / Hub: HQV Pro, 15x100mm, 6-Bolt, 32H
Reifen / Tire	Rim: HQV Edition RYDE RIVAL30, 32H / Hub: SHIMANO NEXUS 5E Di2, SG-C7050-5D, CenterLock, 32H 5-Speed
Pedal / Pedal	SCHWALBE SUPER MOTO-X Green Guard, 62-584
Beleuchtung v/h / Lighting f/r	VP COMPONENTS, VP-617
Gepäckträger / Carrier	SUPERNOVA V512S, LED Terraflux Linse, 205lm, Full CNC Alloy Body, 5-21V, StVZO, Suntour Mobie Adapter
Schutzbleche / Fenders	HERRMANS H-Cargo E-Bike, 4 Led, 6-12V, StVZO, Carrier integrated Design
Ständer / Kickstand	HQV, Light integration, Alloy, 25kg Load, CarryMore System
Zul. Gesamtgewicht / max. Weight	HUSQVARNA AL-65, Alloy, Black Anodized
Gewicht / Weight	HUSQVARNA STD, Alloy, Height Adjust

ARTIKEL

GRAN URBAN 6 FW

Artikelnummer/ Item

5000003946	S	Bronze Glossy / Bronze / Yellow
5000003950	M	Bronze Glossy / Bronze / Yellow
5000003954	L	Bronze Glossy / Bronze / Yellow

PREIS

35.100,00 Kn

GRAN URBAN 5



504 Wh



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauftrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, Boost 12 x 148mm, Post Mount 180 SR SUNTOUR MOBIE25, AIR, LOR, DS 15QLC32, Tapered, 75mm

SHIMANO STePS DU-E6100, 60Nm

SHIMANO SC-E6010 LCD Central Display

SHIMANO BT-E8035, 504Wh, Internal Battery (36V / 14Ah)

SHIMANO EC-E6000-1, 4A & Adapter for intube Battery

HUSQVARNA, Low Rise, Width: 700mm, Rise: 18mm, Back Sweep: 6°, Up Sweep: 6°, Bar Bore: 31.8mm

HUSQVARNA, Adjust, Alloy, 80mm, -10° - +60°, 31.8mm

SHIMANO BR-MT201, hydr. Disc, 2-Piston

180 / 180

HUSQVARNA GC-Ergo

HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm

SHIMANO SLX, RD-M7100, SGS, 12-Speed, Shadow Plus

SHIMANO SLX, SL-M7100, Rapidfire Plus, 12-Speed

SHIMANO SLX. CS-M7000-11, 11-42T

SHIMANO SLX CN-M7100

HUSQVARNA, Forged Alloy, 170mm

HUSQVARNA, Steel, Narrow Wide, 38T

Rim: HQV Edition RYDE RIVAL30, 32H / Hub: HUSQVARNA Pro, 15x100mm, 6-Bolt, 32H

Rim: HQV Edition RYDE RIVAL30, 32H / Hub: HUSQVARNA Pro Boost, 12x148mm, Shimano, 6-Bolt, 32H

SCHWALBE SUPER MOTO-X Green Guard, 62-584

VP COMPONENTS, VP-617

TRELOCK Veo 50, Double Lense Technology, 50 Lux, 6-12V, StVZO, E-Bike, Suntour Mobie Adapter

TRELOCK LS621 Flat, LED, Integrated Reflector, 6-12V, StVZO, 50mm Mount

HUSQVARNA, Alloy, 25kg Load, CarryMore System

HUSQVARNA AL-65, Alloy, Black Anodized

HUSQVARNA STD, GT Series, Alloy, Height Adjust

130 kg

25,6 kg

ARTIKEL

GRAN URBAN 5**Artikelnummer/ Item**

5000003646	S	Black / Anthracite / Red
5000003650	M	Black / Anthracite / Red
5000003654	L	Black / Anthracite / Red

31.900,00 Kn

GRAN URBAN 4 CB



504 Wh



Nabe



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauftrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, OLD 135mm, Post Mount 160mm

SR SUNTOUR MOBIE A32, Coil, NLO, DS 15QLC32, 75mm

SHIMANO STePS DU-E6110, for Coasterbrake Hubs, 60Nm

SHIMANO SC-E6100 LCD Central Display with ANT+ & Bluetooth Function

SHIMANO BT-E8035, 504Wh, Internal Battery (36V/14Ah)

SHIMANO EC-E6000-1, 4A & Adapter for intube Battery

HUSQVARNA, Low Rise, Width: 700mm, Rise: 18mm, Back Sweep: 6°, Up Sweep: 6°, Bar Bore: 31.8mm

HUSQVARNA, Adjust, Alloy, 80mm, -10° - +60°, 31.8mm

SHIMANO BR-MT201, hydr. Disc, 2-Piston

180 / 160

HUSQVARNA GC-Ergo

HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm

SHIMANO NEXUS-8, SL-C6000-8, Revoshift

SHIMANO SM-Gear 19T, Nexus 8

KMC 610 HX

HUSQVARNA, Forged Alloy, 170mm

HUSQVARNA, Steel, Narrow Wide, 38T

Rim: HQV Edition RYDE RIVAL30, 32H / Hub: HUSQVARNA Comp, 15x100mm, 6 Bolt, 32H

Rim: HQV Edition RYDE RIVAL30, 32H / Hub: SHIMANO NEXUS 8, SG-C6001-8CD, Coaster Brake, 5 Bolt, 32H, 8-Speed

SCHWALBE SUPER MOTO-X Green Guard, 62-584

VP COMPONENTS, VP-617

AXA Compact Line 35, LED, 35 Lux, 6-12V, StVZO, E-Bike, Suntour Mobie Adapter

TRELOCK LS621 Flat, LED, Integrated Reflector, 6-12V, StVZO, 50mm Mount

HUSQVARNA, Alloy, 25kg Load, CarryMore System

HUSQVARNA AL-65, Alloy, Black Anodized

HUSQVARNA STD, Alloy, Height Adjust

130 kg

26,4 kg

ARTIKEL

GRAN URBAN 4 CB

Artikelnummer/ Item

5000003846	S	Black Glossy / Black / Red
5000003850	M	Black Glossy / Black / Red
5000003854	L	Black Glossy / Black / Red

PREIS

30.300,00 Kn

Abbildungen sind ähnlich/ Spezifikationen können abweichen
Bicycles models are similar specification may differ

GRAN URBAN 4



504 Wh



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheibe/ Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Laufrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

27.5" Alloy 6061, Wave, Skeleton Interface, Full Integrated Battery, Boost 12 x 148mm, Post Mount 180 SR SUNTOUR MOBIE A32, Coil, NLO, DS 15QLC32, 75mm

SHIMANO STePS DU-E6100, 60Nm

SHIMANO SC-E6100 LCD Central Display with ANT+ & Bluetooth Function

SHIMANO BT-E8035, 504Wh, Internal Battery (36V / 14Ah)

SHIMANO EC-E6000-1, 4A & Adapter for intube Battery

HUSQVARNA, Low Rise, Width: 700mm, Rise: 18mm, Back Sweep: 6°, Up Sweep: 6°, Bar Bore: 31.8mm

HUSQVARNA, Adjust, Alloy, 80mm, -10° - +60°, 31.8mm

SHIMANO BR-MT201, hydr. Disc, 2-Piston

180 / 180

HUSQVARNA GC-Ergo

HUSQVARNA, Dropper Post, Alloy, (420/125mm), 31.6mm

SHIMANO, DEORE, RD-M6000, GS, 10-Speed, Shadow Plus

SHIMANO DEORE, SL-M6000, Rapidfire Plus, 10-Speed

SHIMANO CS-HG50, 11-36T

KMC X10e

HUSQVARNA, Forged Alloy, 170mm

HUSQVARNA, Steel, Narrow Wide, 38T

Rim: HQV Edition RYDE RIVAL30, 32H /
Hub: HUSQVARNA Comp, 15x100mm, 6 Bolt, 32H
Rim: HQV Edition RYDE RIVAL30, 32H /
Hub: HUSQVARNA Comp, 15x100mm, 6 Bolt, 32H

SCHWALBE SUPER MOTO-X Green Guard, 62-584

VP COMPONENTS, VP-617

AXA Compact Line 35, LED, 35 Lux, 6-12V, StVZO, E-Bike, Suntour Mobie Adapter

TRELOCK LS621 Flat, LED, Integrated Reflector, 6-12V, StVZO, 50mm Mount

HUSQVARNA, Alloy, 25kg Load, CarryMore System

HUSQVARNA AL-65, Alloy, Black Anodized

HUSQVARNA STD, GT Series, Alloy, Height Adjust

130 kg

26,7 kg

ARTIKEL

GRAN URBAN 4**Artikelnummer/ Item**

5000003546	S	Anthracite / White / Red
5000003550	M	Anthracite / White / Red
5000003554	L	Anthracite / White / Red

29.500,00 Kn



GRAN CITY 6



GRAN CITY 4 CB/FW



GRAN CITY 3



GRAN CITY 2 CB/FW



GRAN CITY 1



GRAN CITY 6



630 Wh



Nabe

Riemen



SPECS

Rahmen / Frame

Alloy 6061, City, Skeleton Interface, Integrated Battery, 10x135mm

Federgabel / Fork

SR Suntour NEX E25, Coil, 63mm

Motor / Drive Unit

Shimano EP8, DU-EP8, 250W, 85Nm

Display / Display

Shimano SC-E6100, LCD-Display, ANT & BT-LE

Batterie / Battery

Simplo TPS, 630Wh, 36V, 17,5Ah

Ladegerät / Charger

Simplo, Fast Charger, 4A

Lenker / Handlebar

Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm

Vorbau / Stem

Husqvarna 31.8, 85mm, adjustable

Bremsen / Brake

Shimano BR-MT201, hydr. Disc

Bremsscheiben / RotorShimano SM-RT30, 180mm, Centerlock,
Shimano SM-RT30, 160mm, Centerlock**Sattel / Saddle**

Husqvarna Vivo Moderate, by Selle Royal

Sattelstütze / Seatpost

Husqvarna 31.6, Suspension Seatpost, 350mm

Schaltung / Gear Shift

Shimano Nexus, SG-C7000-5, Centerlock, 10x135mm

Schalthebel / Shifter

Shimano Nexus, SL-C7000-5, Revoshift, 5-speed

Kassette / Cassette

Gates SureFit, 28T

Kette / Chain

Gates CDX Belt

Kurbeln / Crankarms

Husqvarna, Forged Alloy, 170mm

Kettenblatt / Chainring

Gates CDX, Bashguard, 39T

Lauftrad / Wheel

Rim: Ryde Disc21, Eyelets, Tubeless / Front: Shimano Tourney, TX505, Centerlock, 9x100mm / Rear: Shimano Nexus, SG-C7000-5, Centerlock, 10x135mm

Reifen / Tire

Schwalbe Delta Cruiser/Energizer Plus, Reflex, 50-559/622, 26/28x2.0

Pedal / Pedal

Husqvarna Tour, Alloy

**Beleuchtung v/h /
Lighting f/r**

Litemove HKSE-70, 70 Lux, Axa Blueline E

Gepäckträger / Carrier

Husqvarna Tour, MIK-System

Schutzbleche / Fenders

Eurofender Tempo 58

Ständer / Kickstand

Ursus MOOI KSA18, adjustable

**Zul. Gesamtgewicht /
max. Weight**

130 kg

Gewicht / Weight

- kg

ARTIKEL

GRAN CITY 6

Artikelnummer/ Item

5000009042	XS	Black / Red Matt
5000009046	S	Black / Red Matt
5000009050	M	Black / Red Matt
5000009054	L	Black / Red Matt

**31.900,00 Kn**

GRAN CITY 4



Nabe



SPECS

Rahmen / Frame	Alloy 6061, City, Skeleton Interface, Integrated Battery, 10x135mm
Federgabel / Fork	SR Suntour NEX E25, Coil, 63mm
Motor / Drive Unit	Shimano STePS, DU-E6110, 250W, 50Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Simplo TPS, 630Wh, 36V, 17,5Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm
Vorbau / Stem	Husqvarna 31.8, 85mm, adjustable
Bremsen / Brake	Shimano BR-MT201, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 180mm, Centerlock, Shimano SM-RTC60, 160mm, 5-bolt
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Suspension Seatpost, 350mm
Schaltung / Gear Shift	Shimano Nexus SG-C7002-5 Centerlock, Coasterbrake
Schalthebel / Shifter	Shimano Nexus, SL-C7000-5, Revoshift, 5-speed
Kassette / Cassette	Shimano CS-C7000, Single Sprocket, 27T
Kette / Chain	KMC Z1eHX EPT
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Direct Mount, 38T
Lauftrad / Wheel	Rim: Ryde Disc21, Eyelets, Tubeless / Front: Shimano Tourney, TX505, Centerlock, 9x100mm / Rear: Shimano Nexus SG-C7002 Centerlock, Coasterbrake
Reifen / Tire	Schwalbe Delta Cruiser/Energizer Plus, Reflex, 50-559/622, 26/28x2.0
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	Herrmans MR4, 40 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna Tour, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 58
Ständer / Kickstand	Ursus MOOI KSA18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

GRAN CITY 4 CB

Artikelnummer/ Item

5000008842	XS	Darkblue / Yellow Matt
5000008846	S	Darkblue / Yellow Matt
5000008850	M	Darkblue / Yellow Matt
5000008854	L	Darkblue / Yellow Matt

GRAN CITY 4 FW

Artikelnummer/ Item

5000008942	XS	Darkblue / Yellow Matt
5000008946	S	Darkblue / Yellow Matt
5000008950	M	Darkblue / Yellow Matt
5000008954	L	Darkblue / Yellow Matt



27.900,00 Kn

GRAN CITY 3



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheiben / Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schaltung / Gear Shift****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauf rad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

Alloy 6061, City, Skeleton Interface, Integrated Battery, 10x135mm

SR Suntour NEX E25, Coil, 63mm

Shimano STePS, DU-E6100, 250W, 60Nm

Shimano SC-E6100, LCD-Display, ANT & BT-LE

Simplo TPS, 630Wh, 36V, 17,5Ah

Simplo, Fast Charger, 4A

Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm

Husqvarna 31.8, 85mm, adjustable

Shimano BR-MT201, hydr. Disc

Shimano SM-RT30, 180mm, Centerlock,

Shimano RT-EM300, 180mm, Centerlock, with magnet

Husqvarna Vivo Moderate, by Selle Royal

Husqvarna 31.6, Suspension Seatpost, 350mm

Shimano Deore, RD-M592, Shadow, 9-speed

Shimano Deore, RD-M592, Shadow, 9-speed

Shimano Altus, SL-M2010, Rapidfire Plus, 9-speed

Shimano CS-HG200, 11-36T, 9-speed

KMC e9S

Husqvarna, Forged Alloy, 170mm

Husqvarna, Direct Mount, 38T

Rim: Ryde Disc21, Eyelets, Tubeless / Front: Shimano Tourney, TX505, Centerlock, 9x100mm / Rear: Shimano TX505, Centerlock, 10x135mm

Schwalbe Delta Cruiser/Energizer Plus, Reflex, 50-559/622, 26/28x2.0

Husqvarna Tour, Alloy

Herrmans MR4, 40 Lux, Axa Blueline E

Husqvarna Tour, MIK-System

Eurofender Tempo 58

Ursus MOOI KSA40, adjustable

130 kg

- kg

ARTIKEL

GRAN CITY 3

Artikelnummer/ Item

5000008742	XS	Blue / Red
5000008746	S	Blue / Red
5000008750	M	Blue / Red
5000008754	L	Blue / Red

27.100,00 Kn

GRAN CITY 2



Nabe



SPECS

Rahmen / Frame	Alloy 6061, City, Skeleton Interface, Integrated Battery, 10x135mm
Federgabel / Fork	SR Suntour NEX E25, Coil, 63mm
Motor / Drive Unit	Shimano STePS, DU-E6110, 250W, 50Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Simplo TPS, 500Wh, 36V, 14Ah
Ladegerät / Charger	Simplo, Fast Charger, 4A
Lenker / Handlebar	Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm
Vorbau / Stem	Husqvarna 31.8, 85mm, adjustable
Bremsen / Brake	Shimano BR-MT201, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT30, 180mm, Centerlock, Shimano SM-RTC60, 160mm, 5-bolt
Sattel / Saddle	Husqvarna Vivo Moderate, by Selle Royal
Sattelstütze / Seatpost	Husqvarna 31.6, Suspension Seatpost, 350mm
Schaltung / Gear Shift	Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Schalthebel / Shifter	Shimano Nexus, SL-C6000-8, Revoshift, 8-speed
Kassette / Cassette	Shimano SM-Gear, Single Sprocket, 19T
Kette / Chain	KMC Z1eHX EPT
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Direct Mount, 38T
Laufgrad / Wheel	Rim: Ryde Disc21, Eyelets, Tubeless / Front: Shimano Tourney, TX505, Centerlock, 9x100mm / Rear: Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Reifen / Tire	Schwalbe Delta Cruiser/Energizer Plus, Reflex, 50-559/622, 26/28x2.0
Pedal / Pedal	Husqvarna Tour, Alloy
Beleuchtung v/h / Lighting f/r	Herrmans MR4, 40 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna Tour, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 58
Ständer / Kickstand	Ursus MOOI KSA18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

GRAN CITY 2 CB

Artikelnummer/ Item

5000008542	XS	Darkbronze / Aqua Matt
5000008546	S	Darkbronze / Aqua Matt
5000008550	M	Darkbronze / Aqua Matt
5000008554	L	Darkbronze / Aqua Matt

GRAN CITY 2 FW

Artikelnummer/ Item

5000008642	XS	Darkbronze / Aqua Matt
5000008646	S	Darkbronze / Aqua Matt
5000008650	M	Darkbronze / Aqua Matt
5000008654	L	Darkbronze / Aqua Matt



26.300,00 Kn

GRAN CITY 1



SPECS

Rahmen / Frame**Federgabel / Fork****Motor / Drive Unit****Display / Display****Batterie / Battery****Ladegerät / Charger****Lenker / Handlebar****Vorbau / Stem****Bremsen / Brake****Bremsscheiben / Rotor****Sattel / Saddle****Sattelstütze / Seatpost****Schaltwerk / Rear Derailleur****Schalthebel / Shifter****Kassette / Cassette****Kette / Chain****Kurbeln / Crankarms****Kettenblatt / Chainring****Lauftrad / Wheel****Reifen / Tire****Pedal / Pedal****Beleuchtung v/h /
Lighting f/r****Gepäckträger / Carrier****Schutzbleche / Fenders****Ständer / Kickstand****Zul. Gesamtgewicht /
max. Weight****Gewicht / Weight**

Alloy 6061, City, Skeleton Interface, Integrated Battery, 10x135mm

SR Suntour NEX E25, Coil, 63mm

Shimano STePS, DU-E6100, 250W, 60Nm

Shimano SC-E5000, LCD-Display, incl. Shifter

Simplo TPS, 500Wh, 36V, 14Ah

Simplo, Fast Charger, 4A

Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm

Husqvarna 31.8, 85mm, adjustable

Shimano BR-MT201, hydr. Disc

Shimano SM-RT30, 180mm, Centerlock,
Shimano RT-EM300, 180mm, Centerlock, with magnet

Husqvarna Vivo Moderate, by Selle Royal

Husqvarna 31.6, Suspension Seatpost, 350mm

Shimano Alivio, RD-M3100, Shadow, 9-speed

Shimano Altus, SL-M2010, Rapidfire Plus, 9-speed

Shimano CS-HG200, 11-36T, 9-speed

KMC e9S

Husqvarna, Forged Alloy, 170mm

Husqvarna, Direct Mount, 38T

Rim: Ryde Disc21, Eyelets, Tubeless / Front: Shimano Tourney, TX505, Centerlock, 9x100mm / Rear: Shimano TX505, Centerlock, 10x135mm

Schwalbe Delta Cruiser/Energizer Plus, Reflex, 50-559/622, 26/28x2.0

Husqvarna Tour, Alloy

Herrmans MR4, 40 Lux, Axa Blueline E

Husqvarna Tour, MIK-System

Eurofender Tempo 58

Ursus MOOI KSA40, adjustable

130 kg

- kg

ARTIKEL

GRAN CITY 1

Artikelnummer/ Item

5000008442	XS	White / Bronze
5000008446	S	White / Bronze
5000008450	M	White / Bronze
5000008454	L	White / Bronze



23.900,00 Kn



ECO CITY 4 CB/FW

SHIMANO
STOPS
E6100-Serie

SHIMANO
STOPS
E6110-Serie



& FW

MIK
MOUNTING IS KEY



Nabe

2 COLORS

ECO CITY 3

SHIMANO
STOPS
E6100-Serie



504 Wh

MIK
MOUNTING IS KEY



2 COLORS

ECO CITY 2 CB/FW

SHIMANO
STOPS
E5000-Serie



504 Wh
418 Wh



& FW

Nabe

2 COLORS

ECO CITY 1

SHIMANO
STOPS
E5000-Serie



418 Wh

ECO CITY 4



504 Wh



Nabe

Black / Silver
Matt CBDarkblue / White
Matt CBBlack / Silver Matt
FW

SPECS

Rahmen / Frame	Alloy 6061, City, Seattube Battery, 10x135mm
Federgabel / Fork	SR Suntour NEX E25, Coil, 50mm
Motor / Drive Unit	Shimano STePS, DU-E6110, 250W, 50Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Shimano BT-E8010, 504Wh, 36V, 14Ah
Ladegerät / Charger	Shimano EC-E6002, Travel Charger, 2A
Lenker / Handlebar	Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm
Vorbau / Stem	Husqvarna 31.8, 85mm, adjustable
Bremsen / Brake	Shimano BR-MT200, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT10, 160mm, Centerlock, Shimano SM-RTC60, 160mm, 5-bolt
Sattel / Saddle	Selle Royal Aurorae
Sattelstütze / Seatpost	Husqvarna 30.9, Patent, 350mm
Schaltung / Gear Shift	Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Schalthebel / Shifter	Shimano Nexus, SL-C6000-8, Revoshift, 8-speed
Kassette / Cassette	Shimano SM-Gear, Single Sprocket, 19T
Kette / Chain	KMC X8
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Direct Mount, 38T
Lauftrad / Wheel	Rim: Mach1 630E, Eyelets, Tubeless / Front: Shimano Tour- ney, TX505, Centerlock, 9x100mm / Rear: Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Reifen / Tire	Impac Roadpac, Puncture ProTecton, Reflex, 47-559/622, 26/28x1.85
Pedal / Pedal	Husqvarna, Alloy
Beleuchtung v/h / Lighting f/r	AXA Compactline, 20 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna City, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 58
Ständer / Kickstand	Ursus MOOI KSA18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

ECO CITY 4 CB

Artikelnummer/ Item		
5000011248	S / 26"	Black / Silver Matt
5000011348	S / 28"	Black / Silver Matt
5000011352	M / 28"	Black / Silver Matt
5000011356	L / 28"	Black / Silver Matt

ECO CITY 4 CB

Artikelnummer/ Item		
5000011448	S / 26"	Darkblue / White Matt
5000011548	S / 28"	Darkblue / White Matt
5000011552	M / 28"	Darkblue / White Matt
5000011556	L / 28"	Darkblue / White Matt

ECO CITY 4 FW

Artikelnummer/ Item		
5000011648	S / 26"	Black / Silver Matt
5000011748	S / 28"	Black / Silver Matt
5000011752	M / 28"	Black / Silver Matt
5000011756	L / 28"	Black / Silver Matt



22.300,00 Kn

ECO CITY 3



SPECS

Rahmen / Frame	Alloy 6061, City, Seattube Battery, 10x135mm
Federgabel / Fork	SR Suntour NEX E25, Coil, 50mm
Motor / Drive Unit	Shimano STePS, DU-E6100, 250W, 60Nm
Display / Display	Shimano SC-E6100, LCD-Display, ANT & BT-LE
Batterie / Battery	Shimano BT-E8010, 504Wh, 36V, 14Ah
Ladegerät / Charger	Shimano EC-E6002, Travel Charger, 2A
Lenker / Handlebar	Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm
Vorbau / Stem	Husqvarna 31.8, 85mm, adjustable
Bremsen / Brake	Tektro HD-T275, hydr. Disc
Bremsscheiben / Rotor	Tektro TR24, 180mm, 6-bolt, Tektro TR24, 160mm, 6-bolt
Sattel / Saddle	Selle Royal Aurorae
Sattelstütze / Seatpost	Husqvarna 30.9, Suspension Seatpost, 350mm
Schaltung / Gear Shift	Shimano Deore, RD-M592, Shadow, 9-speed
Schalthebel / Shifter	Shimano Alivio, SL-M3100, Rapidfire Plus, 9-speed
Kassette / Cassette	Shimano CS-HG200, 11-36T, 9-speed
Kette / Chain	KMC X8
Kurbeln / Crankarms	Husqvarna, Forged Alloy, 170mm
Kettenblatt / Chainring	Husqvarna, Direct Mount, 38T
Lauf rad / Wheel	Rim: Mach1 630E, Eyelets, Tubeless / Front: Husqvarna JA159F, 6-bolt, 9x100mm / Rear: Husqvarna JA259R, 6-bolt, 9x135mm
Reifen / Tire	Impac Roadpac, Puncture ProTecton, Reflex, 47-559/622, 26/28x1.85
Pedal / Pedal	Husqvarna, Alloy
Beleuchtung v/h / Lighting f/r	AXA Compactline, 20 Lux, Axa Slim, Steady
Gepäckträger / Carrier	Husqvarna City, MIK-System
Schutzbleche / Fenders	Eurofender Tempo 58
Ständer / Kickstand	Ursus MOOI KSA18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

ECO CITY 3

Artikelnummer/ Item

5000010848	S / 26"	Bronze / White Matt
5000010948	S / 28"	Bronze / White Matt
5000010952	M / 28"	Bronze / White Matt
5000010956	L / 28"	Bronze / White Matt

ECO CITY 3

Artikelnummer/ Item

5000011048	S / 26"	Blue / White Matt
5000011148	S / 28"	Blue / White Matt
5000011152	M / 28"	Blue / White Matt
5000011156	L / 28"	Blue / White Matt



22.300,00 Kn

ECO CITY 2 CB 504



Nabe



Black / Bronze CB

Bronze / White
Matt CB

SPECS

Rahmen / Frame	Alloy 6061, City, Seattube Battery, 10x135mm
Federgabel / Fork	SR Suntour NEX E25, Coil, 50mm
Motor / Drive Unit	Shimano STePS, DU-E5000, 250W, 40Nm
Display / Display	Shimano SC-E5000, LCD-Display, incl. Shifter
Batterie / Battery	Shimano BT-E8010, 504Wh, 36V, 14Ah
Ladegerät / Charger	Shimano EC-E6002, Travel Charger, 2A
Lenker / Handlebar	Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm
Vorbau / Stem	Husqvarna 31.8, 85mm, adjustable
Bremsen / Brake	Shimano BR-MT200, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT10, 160mm, Centerlock, Shimano SM-RTC60, 160mm, 5-bolt
Sattel / Saddle	Selle Royal Aurorae
Sattelstütze / Seatpost	Husqvarna 30.9, Patent, 350mm
Schaltung / Gear Shift	Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Schalthebel / Shifter	Shimano Nexus, SL-C6000-8, Revoshift, 8-speed
Kassette / Cassette	Shimano SM-Gear, Single Sprocket, 19T
Kette / Chain	KMC X8
Kurbeln / Crankarms	Husqvarna, Forged Alloy, JIS, 170mm
Kettenblatt / Chainring	Husqvarna, Direct Mount, 38T
Lauftrad / Wheel	Rim: Mach1 630E, Eyelets, Tubeless / Front: Shimano Tour- ney, TX505, Centerlock, 9x100mm / Rear: Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Reifen / Tire	Impac Roadpac, Puncture ProTction, Reflex, 47-559/622, 26/28x1.85
Pedal / Pedal	Husqvarna, Alloy
Beleuchtung v/h / Lighting f/r	AXA Compactline, 20 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna, spring clamp
Schutzbleche / Fenders	Eurofender Tempo 58
Ständer / Kickstand	Ursus MOOI KSA18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

ECO CITY 2 CB 504

Artikelnummer/ Item

5000011848	S / 26"	Black / Bronze
5000011948	S / 28"	Black / Bronze
5000011952	M / 28"	Black / Bronze
5000011956	L / 28"	Black / Bronze

Artikelnummer/ Item

5000012048	S / 26"	Bronze / White Matt
5000012148	S / 28"	Bronze / White Matt
5000012152	M / 28"	Bronze / White Matt
5000012156	L / 28"	Bronze / White Matt

20.700,00 Kn

ECO CITY 2 CB/FW 418



Nabe



Black / Bronze CB

Bronze / White
Matt CBBlack / Bronze
FW

SPECS

Rahmen / Frame	Alloy 6061, City, Seattube Battery, 10x135mm
Federgabel / Fork	SR Suntour NEX E25, Coil, 50mm
Motor / Drive Unit	Shimano STePS, DU-E5000, 250W, 40Nm
Display / Display	Shimano SC-E5000, LCD-Display, incl. Shifter
Batterie / Battery	Shimano BT-E8010, 418Wh, 36V, 14Ah
Ladegerät / Charger	Shimano EC-E6002, Travel Charger, 2A
Lenker / Handlebar	Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm
Vorbau / Stem	Husqvarna 31.8, 85mm, adjustable
Bremsen / Brake	Shimano BR-MT200, hydr. Disc
Bremsscheiben / Rotor	Shimano SM-RT10, 160mm, Centerlock, Shimano SM-RTC60, 160mm, 5-bolt
Sattel / Saddle	Selle Royal Aurorae
Sattelstütze / Seatpost	Husqvarna 30.9, Patent, 350mm
Schaltung / Gear Shift	Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Schalthebel / Shifter	Shimano Nexus, SL-C6000-8, Revoshift, 8-speed
Kassette / Cassette	Shimano SM-Gear, Single Sprocket, 19T
Kette / Chain	KMC X8
Kurbeln / Crankarms	Husqvarna, Forged Alloy, JIS, 170mm
Kettenblatt / Chainring	Husqvarna, Direct Mount, 38T
Lauftrad / Wheel	Rim: Mach1 630E, Eyelets, Tubeless / Front: Shimano Tour- ney, TX505, Centerlock, 9x100mm / Rear: Shimano Nexus SG-C6001-8, Centerlock, Coasterbrake, 10x135mm
Reifen / Tire	Impac Roadpac, Puncture ProTecton, Reflex, 47-559/622, 26/28x1.85
Pedal / Pedal	Husqvarna, Alloy
Beleuchtung v/h / Lighting f/r	AXA Compactline, 20 Lux, Axa Blueline E
Gepäckträger / Carrier	Husqvarna, spring clamp
Schutzbleche / Fenders	Eurofender Tempo 58
Ständer / Kickstand	Ursus MOOI KSA18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

ECO CITY 2 CB 418

Artikelnummer/ Item		
5000010248	S / 26"	Black / Bronze
5000010348	S / 28"	Black / Bronze
5000010352	M / 28"	Black / Bronze
5000010356	L / 28"	Black / Bronze

Artikelnummer/ Item		
5000010448	S / 26"	Bronze / White Matt
5000010548	S / 28"	Bronze / White Matt
5000010552	M / 28"	Bronze / White Matt
5000010556	L / 28"	Bronze / White Matt

ECO CITY 2 FW 418

Artikelnummer/ Item		
5000010648	S / 26"	Black / Bronze
5000010748	S / 28"	Black / Bronze
5000010752	M / 28"	Black / Bronze
5000010756	L / 28"	Black / Bronze

19.200,00 Kn

ECO CITY 1



418 Wh



SPECS

Rahmen / Frame	Alloy 6061, City, Seattube Battery, 10x135mm
Federgabel / Fork	SR Suntour NEX E25, Coil, 50mm
Motor / Drive Unit	Shimano STePS, DU-E5000, 250W, 40Nm
Display / Display	Shimano SC-E5000, LCD-Display, incl. Shifter
Batterie / Battery	Shimano BT-E8014, 418Wh, 36V, 11.6Ah
Ladegerät / Charger	Shimano EC-E6002, Travel Charger, 2A
Lenker / Handlebar	Husqvarna Comfort31.8, 640mm, Sweep: 35°, Rise: 25mm
Vorbau / Stem	Husqvarna 31.8, 85mm, adjustable
Bremsen / Brake	Tektro HD-T275, hydr. Disc
Bremsscheiben / Rotor	Tektro TR24, 180mm, 6-bolt, Tektro TR24, 160mm, 6-bolt
Sattel / Saddle	Selle Royal Aurorae
Sattelstütze / Seatpost	Husqvarna 30.9, Patent, 350mm
Schaltung / Gear Shift	Shimano Altus, RD-M310, 8-speed
Schalthebel / Shifter	Shimano Altus, SL-M315, Rapidfire Plus, 8-speed
Kassette / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Kette / Chain	KMC X8
Kurbeln / Crankarms	Husqvarna, Forged Alloy, JIS, 170mm
Kettenblatt / Chainring	Husqvarna, Direct Mount, 38T
Lauftrad / Wheel	Rim: Mach1 630E, Eyelets, Tubeless / Front: Husqvarna JA159F, 6-bolt, 9x100mm / Rear: Husqvarna JA259R, 6-bolt, 9x135mm
Reifen / Tire	Impac Roadpac, Puncture ProTecton, Reflex, 47-559/622, 26/28x1.85
Pedal / Pedal	Husqvarna, Alloy
Beleuchtung v/h / Lighting t/r	AXA Compactline, 20 Lux, Axa Slim, Steady
Gepäckträger / Carrier	Husqvarna, spring clamp
Schutzbleche / Fenders	Eurofender Tempo 58
Ständer / Kickstand	Ursus MOOI KSA18, adjustable
Zul. Gesamtgewicht / max. Weight	130 kg
Gewicht / Weight	- kg

ARTIKEL

ECO CITY 1

Artikelnummer/ Item		
5000010048	S / 26"	White / Bronze
5000010148	S / 28"	White / Bronze
5000010152	M / 28"	White / Bronze
5000010156	L / 28"	White / Bronze

CHF 2,499,-

18.400,00 Kn



EXTREME CROSS

Größe	S	M	L
E Top Tube Length (horizontal)	580	610	644
A Seat Tube Length	420	440	460
B Seat Tube Angle	76°	76°	76°
C Head Tube Length	120	120	140
D Steering Angle	65°	65°	65°
F Chain Stay Length	455	455	455
G Wheel Base	1230	1260	1298
BB-Drop	0	0	0
Stack	620	620	638
Reach	425	455	485

HARD CROSS

Größe	S	M	L	XL
E Top Tube Length (horizontal)	589	609	633	654
A Seat Tube Length	420	440	470	480
B Seat Tube Angle	76°	76°	76°	76°
C Head Tube Length	120	120	140	140
D Steering Angle	66°	66°	66°	66°
F Chain Stay Length	455	455	455	455
G Wheel Base	1212	1232	1260	1280
BB-Drop	0	0	0	0
Stack	618	618	636	636
Reach	435	455	475	495

MOUNTAIN CROSS

Größe	S	M	L	XL
E Top Tube Length (horizontal)	601	616	641	661
A Seat Tube Length	400	440	480	520
B Seat Tube Angle	76°	76°	76°	76°
C Head Tube Length	120	120	140	140
D Steering Angle	65°	65°	65°	65°
F Chain Stay Length	439	439	439	439
G Wheel Base	1114	1129	1158	1178
BB-Drop	-12	-12	-12	-12
Stack	628	628	646	646
Reach	445	460	480	500

LIGHT CROSS

JR 24/27.5

24"

27.5"

29" INTEGRATED

29" SEMI-INTEGRATED

27.5" SEMI-INTEGRATED




Größe	uni	uni	S	M	L	S	M	L	S	M	L
E Top Tube Length (horizontal)	540	560	625	650	680	625	650	680	600	625	656
A Seat Tube Length	330	350	450	500	530	450	500	530	450	500	550
B Seat Tube Angle	74°	74°	74°	74°	74°	74°	74°	74°	74°	74°	74°
C Head Tube Length	110	110	120	120	140	120	120	140	120	120	140
D Steering Angle	68°	68°	68°	68°	68°	68°	68°	68°	68°	68°	68°
F Chain Stay Length	400	450	460	460	460	460	460	460	445	445	445
G Wheel Base	1028	1109	1188	1212	1245	1188	1212	1245	1149	1174	1206
BB-Drop	-40	-40	-60	-60	-60	-60	-60	-60	-40	-40	-40
Stack	541	607	645	645	664	645	645	664	611	612	630
Reach	385	386	440	465	490	440	465	490	425	450	475

GRAN GRAVEL

Größe	S	M	L
E Top Tube Length (horizontal)	509	543	577
A Seat Tube Length	510	540	570
B Seat Tube Angle	74°	74°	74°
C Head Tube Length	165	180	195
D Steering Angle	71°	71°	71°
F Chain Stay Length	440	440	440
G Wheel Base	999	1034	1069
BB-Drop	-72	-72	-72
Stack	588	602	616
Reach	340	370	400

GRAN SPORT

Größe	S	M	L
E Top Tube Length (horizontal)	584	599	614
A Seat Tube Length	460	500	540
B Seat Tube Angle	74°	74°	74°
C Head Tube Length	165	165	165
D Steering Angle	69°	69°	69°
F Chain Stay Length	450	450	450
G Wheel Base	1119	1134	1149
BB-Drop	-60	-60	-60
Stack	660	660	660
Reach	395	410	425



CROSS TOURER

GENT

LADY

WAVE

Größe	S	M	L	XL	S	M	L	XL	S	M	L
E Top Tube Length (horizontal)	580	590	600	620	580	580	590	600	645	654	662
A Seat Tube Length	450	500	550	600	400	450	500	550	450	500	550
B Seat Tube Angle	74°	74°	74°	74°	74°	74°	74°	74°	73°	73°	73°
C Head Tube Length	140	140	150	160	140	150	160	160	155	170	180
D Steering Angle	69°	70°	70°	70°	69°	69°	70°	70°	69,5°	69,5°	69,5°
F Chain Stay Length	450	450	450	450	450	450	450	450	450	450	450
G Wheel Base	1110	1109	1120	1141	1110	1111	1111	1121	1160	1169	1178
BB-Drop	-60	-60	-60	-60	-60	-60	-60	-60	-60	-60	-60
Stack	621	625	635	666	621	631	644	644	652	666	676
Reach	402	411	418	435	402	399	405	415	450	455	450

CROSS TOURER

FS

GRAN URBAN

Größe	S	M	L	XL
E Top Tube Length (horizontal)	608	623	648	668
A Seat Tube Length	400	440	480	520
B Seat Tube Angle	76°	76°	76°	76°
C Head Tube Length	120	120	140	140
D Steering Angle	69°	69°	69°	69°
F Chain Stay Length	460	460	460	460
G Wheel Base	1180	1195	1223	1243
BB-Drop	-30	-30	-30	-30
Stack	594	594	612	612
Reach	460	475	495	515

Größe	S	M	L
E Top Tube Length (horizontal)	584	599	614
A Seat Tube Length	460	500	540
B Seat Tube Angle	74°	74°	74°
C Head Tube Length	165	165	165
D Steering Angle	69°	69°	69°
F Chain Stay Length	450	450	450
G Wheel Base	1119	1134	1149
BB-Drop	-60	-60	-60
Stack	660	660	660
Reach	395	410	425

GRAN TOURER

GENT

LADY

Größe	S	M	L	XL	S	M	L	XL
E Top Tube Length (horizontal)	560	580	600	620	550	560	580	600
A Seat Tube Length	450	500	550	600	400	450	500	550
B Seat Tube Angle	74°	74°	74°	74°	74°	74°	74°	74°
C Head Tube Length	140	140	150	150	140	150	160	160
D Steering Angle	69°	70°	70°	70°	69°	70°	70°	70°
F Chain Stay Length	450	450	450	450	450	450	450	450
G Wheel Base	1090	1099	1120	1141	1080	1080	1101	1121
BB-Drop	-60	-60	-60	-60	-60	-60	-60	-60
Stack	621	637	647	656	629	635	644	644
Reach	382	401	418	435	372	378	395	415

GRAN CITY

Größe	S	M	L	S	M	L	26" XS	26" XS
E Top Tube Length (horizontal)	645	654	662	645	654	662	655	655
A Seat Tube Length	460	500	540	460	500	540	420	420
B Seat Tube Angle	73°	73°	73°	73°	73°	73°	73°	73°
C Head Tube Length	155	170	180	155	170	180	155	155
D Steering Angle	69,5°	69,5°	69,5°	69,5°	69,5°	69,5°	69,5°	69,5°
F Chain Stay Length	455	455	455	455	455	455	425	425
G Wheel Base	1164	1174	1183	1164	1174	1183	1142	1142
BB-Drop	-60	-60	-60	-60	-60	-60	-60	-60
Stack	652	659	676	660	665	683	621	614
Reach	450	455	460	450	455	460	470	470

ECO CITY

CB

CB

Größe	S	M	L	S	M	L	26" S	26" S
E Top Tube Length (horizontal)	620	630	640	620	630	640	620	620
A Seat Tube Length	485	520	560	485	520	560	485	485
B Seat Tube Angle	73°	73°	73°	73°	73°	73°	73°	73°
C Head Tube Length	185	195	205	185	195	205	175	175
D Steering Angle	70°	70°	70°	70°	70°	70°	70°	70°
F Chain Stay Length	540	540	540	545	545	545	510	515
G Wheel Base	1217	1227	1238	1222	1232	1243	1196	1201
BB-Drop	-67	-67	-67	-67	-67	-67	-40	-40
Stack	659	668	678	659	668	678	603	603
Reach	419	426	433	419	426	433	436	436